

କଣ୍ଢେଇ ତିଆରି କରିଥିଲେ। ସେବେଠାରୁ
ସୁଦ୍ଧି କଣ୍ଢେଇ ତିଆରି କରିବା ଆରମ୍ଭ
କରିଥିଲେ ଏବଂ ଗତ ୨୦ ବର୍ଷ ମଧ୍ୟରେ
ସେ ୩୫୦ରୁ ଅଧିକ କଣ୍ଢେଇ ତିଆରି
କରିଛନ୍ତି। ନାଗୋରୋ ଗ୍ରାମରେ କେତେକ
କଣ୍ଢେଇ ବସୁ ଷ୍ଟୁପରେ ବସିଥିବା ବେଳେ ତ
ନଗର ଡକ୍ଟର କେତେକ ନଦୀକୂଳରେ ବସିଥିବାର
ନଦରକୁ ଆସିଥାନ୍ତି। ସେହିଠିର କିଛି
କଣ୍ଢେଇ ଦୋକାନ ସାମୁଦ୍ରରେ ଠିଆ
ହୋଇଥିବା ବେଳେ ଆଉ କେତେକଙ୍କୁ
ପୁରୁଣା ସ୍କୁଲର ଶ୍ରେଣୀଗୃହରେ ପଡ଼ିଥିବା
ବେଞ୍ଚରେ ବସିଥିବାର ଦେଖିବାକୁ
ମିଳିଥାଏ। ଗ୍ରାମରେ ପୂର୍ବରୁ ଗଛୁଥିବା
ଲୋକମାନଙ୍କ ସ୍ମୃତିରେ ସୁଦ୍ଧିର ଉଷ୍ଣ
କଣ୍ଢେଇଗୁଡ଼ିକୁ ତିଆରି କରିଛନ୍ତି।
ଅବିଳକ ଗ୍ରାମବାସୀଙ୍କ ପରି ଦେଖାଯିବା
ପାଇଁ ସେ କଣ୍ଢେଇଗୁଡ଼ିକୁ ତିଆରି
ଦେଖାକରିବ ମଧ୍ୟ ସହିତ କରିଥାନ୍ତି।
ସମ୍ପ୍ରତି ନାଗୋରୋ ଗାଁ ପର୍ଯ୍ୟଟକଙ୍କ
ପାଇଁ ଏକ ସ୍ୱତନ୍ତ୍ର ସ୍ଥାନ ପାଲଟିଛି।

କାଞ୍ଚିପାଣି ଘାଟିରେ ବୃକ୍ଷମାନ

ଗତବ୍ୟ ସ୍ଥଳକୁ ଯାଇଥିଲା । ଏଥିସହ ଜାତୀୟ ରାଜପଥରେ ଶତାଧିକ ଗାଡ଼ି, ଟ୍ରକ୍ ଓ ଛୋଟ ଯାନବାହନ ରାତିତମାମା ଅଟକି ରହିଥିଲା । ଏନ୍‌ଏଚ୍‌ଆଇ ପକ୍ଷରୁ କେନ୍ଦ୍ରସ୍ତର-ଜଗମୋହନପୁର ରାସ୍ତାରେ ଗୋଟିଏ ପାର୍ଶ୍ଵ ସଫେଦ କରାଯିବା ପରେ ଗାଡ଼ି ଚଳାଚଳ ସ୍ଵାଭାବିକ ହୋଇଥିଲା । ଗୋଟିଏ ପାର୍ଶ୍ଵରେ ଗାଡ଼ି ଚଳାଚଳ କରୁଥିବାକୁ ଟ୍ରାଫିକ୍ ଜାମା ରହୁଛି । ଅନ୍ୟପଟ ରାସ୍ତା ଉପରେ ଜମିଥିବା ମଟର୍କୁ ଯଥାଶୀଘ୍ର ଉଠାଯାଇ ଯାତାୟତ ସ୍ଵାଭାବିକ କରାଯିବ ବୋଲି ଏନ୍‌ଏଚ୍‌ଆଇର ପ୍ରକଳ୍ପ ନିର୍ଦ୍ଦେଶକ ମୋବେଶ ଗାମା ସୂଚନା ଦେଇଛନ୍ତି । ସେହିପରି ଜାତୀୟ ରାଜପଥ ୪୯ର ଛୁଟିଆ ଗାଟି ରାସ୍ତାପାର୍ଶ୍ଵ ପହାଡ଼କୁ ଉପରକୁ ଭୋରି ସମୟରେ ୨ଟି ବଡ଼ ପଥର ଖସି ଗାଡ଼ି ଚଳାଚଳ ବ୍ୟାହତ ହୋଇଥିଲା । ଏନ୍‌ଏଚ୍‌ଆଇ ପକ୍ଷରୁ ପଥର ହଟାଯିବା ପରେ ଗାଡ଼ି ଚଳାଚଳ କରିଥିଲା ।



କାଞ୍ଚିପାଣି ଘାଟିରେ ଭୂସ୍ଥଳନ ହୋଇ ରାଜପଥରେ ମାଟି ଜମି ରହିଛି ।

ଘାଟିରେ ପାହାଡ଼ରୁ ଭୂକଳନ ହୋଇଥିଲା ।
ପ୍ରାୟ ୬ଫୁଟ ଉଚ୍ଚତାର ମାଟି ଅତଡ଼ା ଧସି
ରାସ୍ତା ଉପରେ ଜମା ହୋଇ ରହିଥିବାରୁ

ଗାଡ଼ି ଚଳାଚଳ ସମ୍ପୂର୍ଣ୍ଣ ବନ୍ଦ ରହିଥିଲା
ବଲାଶିରୁ ରାଉରକେଲା ଯାଉଥିବା ଏକ
ଯାତ୍ରୀବାହୀ ବସ ପ୍ରାୟ ୪ଘଣ୍ଟା ପର୍ଯ୍ୟନ୍ତ

ରହିବା ପରେ ଏନ୍‌ଏଚ୍‌ଆଇ ପକ୍ଷରୁ ଜେସିବି ମେଶିନ ଦ୍ଵାରା ମାଟି ଏବଂ ଗଛ ସଫା କରାଯାଇଥିଲା । ପରେ ବସ୍ତି

ରେଞ୍ଜିଲ ଡ୍ୟାମ୍ବର ୨ଟି ଗେଟ୍
ଦେଇ ବନ୍ୟାଜଳ ନିଷ୍କାସନ

ପବିତ୍ରନଗର, ୨୪।୮ (ନିରୋଜ ପ୍ରଧାନ)

ଜଳଭଣ୍ଡାରର ପୂର୍ଣ୍ଣ ଜଳପାତର ଯମ୍ବରା
୧୨୩.୫୦ ମିଟର ଥିବାବେଳେ ପୂର୍ଣ୍ଣ ଚଳା
ଛୁଆଁ ଖୋଳୁ ଜଳସ୍ତର ୧୨୨.୧୧ ମିଟର
ଥିଲା । ପଲକର ଜ୍ୟୋତ୍ସ୍ନାବିମ୍ବ ଦ୍ଵିତୀୟ ଗେଜେଟ୍
ଖୋଳି ବନ୍ଦା ଜଳ ନିଷାଧନ କରୁଥିବା
ଅପରାହ୍ନ ୪ଟା ଛୁଆଁ ଜଳସ୍ତର ୧୨୨.୨୪
ମିଟର ରହିଛି । ପ୍ରତି ସେକେଣ୍ଡରେ ଜଳଭଣ୍ଡାର
ମଧ୍ୟକୁ ୫୮୭୩.୧୪ ଘନମିଟର ବନ୍ୟା ଜଳ
ପ୍ରବେଶ କରୁଥିବାବେଳେ ଖୋଲାଯାଇଥିବା
୨ଟି ଗେଜେ ଓ ପାଣ୍ଠର ଖାଲ
ମାଧ୍ୟମରେ ମୋଟ ୩୪୦୦୦୦ ଘନ
ମିଟର ବନ୍ୟା ଜଳ ନିଷାଧନ କରାଯାଉଛି ।

ଉତ୍ସବରେ ରାଜ୍ୟପାଳ ଡ. ହରିବାରୁ କନ୍ୟାମାଟି, ଉପମୁଖ୍ୟମନ୍ତ୍ରୀ ତଥା କୃଷି ମନ୍ତ୍ରୀ କନକ ବର୍ଦ୍ଧନ ସିଂଦେଓ, ମହ୍ୟ ଓ ପ୍ରାଣୀ ସମ୍ପଦ ମନ୍ତ୍ରୀ ଗୋକୁଳାନନ୍ଦ ମଲ୍ଲିକଙ୍କ ସହ ଅନ୍ୟ ଅତିଥିମାନେ ।

ଭୁବନେଶ୍ୱର, ୨୪।୮
(ବନ୍ଦନା ସେଠା/ରବିନାରାୟଣ ଜେନା)

■ ଖୁବ୍‌ଶୀଘ୍ର ସାର ଅଭାବ
ଦୂର ହେବ: ଉପମୁଖ୍ୟମନ୍ତ୍ରୀ

■ ମିଶ୍ରିତ ଚାଷ କରିବାକୁ
ପରାମର୍ଶ ଦେଲେ ରାଜ୍ୟପାଳ

ସମ୍ପର୍କପୁରରେ ଓଡ଼ିଶା କୃଷି ଓ ବୈଷୟିକ ବିଶ୍ୱବିଦ୍ୟାଳୟ (ଓୟୁସିରି)ର ଆଉ ଏକ କ୍ୟାମ୍ପସ ଖୋଲିବ । ଏଥିପାଇଁ ଖୁସୀମାନ୍ନ ପ୍ରକ୍ରିୟା ଆରମ୍ଭ ହେବ । ଏଥିସହ ବଲାଙ୍ଗୀର ଓ ମୟୂରଭଞ୍ଜରେ କୃଷି ମହାବିଦ୍ୟାଳୟ ଏବଂ ଯୋଗପୁରରେ ପିପ୍ପରବଜଳଜଳଖୋଳି ବୋଲି ଉପଯୁଷ୍ଟ୍ୟମନ୍ତ୍ରୀ ତଥା କୃଷିମନ୍ତ୍ରୀ କନକ ବର୍ମା ଦିବେ ଯିବେ ଯୁବନା ଦେଇଛନ୍ତି । ରବିବାର ଓୟୁସିରି ଭୁବନେଶ୍ୱରର ୬୪ତମ ପ୍ରତିଷ୍ଠା ଦିବସ ସମାରୋହରେ ଅତିଥି ଭାବେ ଯୋଗଦେଇ ଉପଯୁଷ୍ଟ୍ୟମନ୍ତ୍ରୀ ଜୈବିକ କୃଷିର ଗୁରୁତ୍ୱ ଉପରେ ଆଲୋଚନା କରି କହିଲେ, ଭାରତ ଏକ ଆମଦାନୀକାରୀ ରାଷ୍ଟ୍ରକୁ ରପ୍ତାନିକାରୀ ରାଷ୍ଟ୍ରରେ ପରିଣତ ହୋଇଛି ।

ଚଳେଇବା ପୂର୍ବଦେଶ ଓ ଛୁଆ ଆମଦାନୀ ବନ୍ଦ କରାଯାଉଥିବା
 କିଛି ସମୟ ପାଇଁ ସାର ମିଳିବାରେ ଅସୁବିଧା ଦେଖାଦେଇଥିଲା ।
 ରାଜ୍ୟରେ ମଧ୍ୟ ଏହାର ପ୍ରଭାବ ଦେଖିବାକୁ ମିଳିଛି । ଏନେଇ କେନ୍ଦ୍ର
 ଫର୍ଟିଲାଇଜର ମନ୍ତ୍ରୀ ଡେ.ପି. ନିଖାଙ୍କୁ ଚିଠି ଲେଖି ଜଣାଯାଇଛି ।
 ଖୁବଶୀଘ୍ର ଏହି ସମସ୍ୟାର ସମାଧାନ ହୋଇଥିବ । ଏବେ ଗାଈଙ୍କୁ ସାର
 ଦିଆଗଲା । ଏହାସହ ରାସାୟନିକ ସାର ବ୍ୟବହାର ନ କରି ଜୈବିକ
 ସାର ବ୍ୟବହାର କରିବା ପାଇଁ ମଧ୍ୟ ଗାଈଙ୍କୁ ସେ ପରାମର୍ଶ ଦେଇଛନ୍ତି ।
 କାର୍ଯ୍ୟକ୍ରମରେ ମୁଖ୍ୟ ଅତିଥି ଭାବେ ଯୋଗଦେଇ ରାଜ୍ୟପାଳ
 ହରିରାସୁ କନ୍ଧମପାଟି ଛାତ୍ରାଛାତ୍ରୀ, କୃଷକଙ୍କ ସମେତ କୃଷି ଉଦ୍ୟମନାକୁ
 ପ୍ରୋତ୍ସାହିତ କରିବା ପାଇଁ ଓଡ଼ିଏଟ ଅଗ୍ରଣୀ ଛୁଆ ବିଭାଗବାଳୁ ଆହ୍ୱାନ
 ଦେଇଛନ୍ତି । ବିଭିନ୍ନ ପ୍ରକାର କୃଷି ଉଦ୍ୟୋଗ ନିମନ୍ତେ ବ୍ୟୟ ଆକଳନ,
 ଜମି ଓ ବ୍ୟବହାର ଆବଶ୍ୟକତା, ଆୟ ଆକଳନ ଏବଂ ବିଭିନ୍ନ
 ସର୍ବସ୍ୱତ୍ୱ ଯୋଜନା ସମ୍ପର୍କରେ ତଥ୍ୟ ରଖି ପ୍ରକଳ୍ପ ପ୍ରୋତ୍ସାହନ ପ୍ରସ୍ତୁତ
 କରିବାକୁ ଓଡ଼ିଏଟ କର୍ମସୂଚକ କହିଥିଲେ । ଆମ ଦେଶରେ କୃଷି ଏକ
 ବୃତ୍ତି ନୁହେଁ ଏହା ଆମ ସଂସ୍କୃତି ଅଂଶ ଏବଂ ଏହା ପରିବାର ସହିତ
 ଅର୍ଥନୀତିକୁ ପ୍ରତିପାଳନ କରେ । ତେବେ ଓଡ଼ିଶା ମାଛ ଗାଈ, କୁକୁଡ଼ା
 ଓ ଅଣ୍ଡା ଗାଈରେ ପଛରେ ରହିଛି । ଆନ୍ତ୍ରପ୍ରଦେଶ ପରି ଓଡ଼ିଶାରେ
 ସମସ୍ତ ସୁବିଧା ରହିଛି । ତେଣୁ ଓଡ଼ିଶା ଗାଈ ମିଶ୍ରିତ ଗାଈ ବିଶେଷକରି
 ଧାନ ଗାଈ ସହ ଯୋଖିବା କରି ମାଛ ଗାଈ କରିବା ପାଇଁ ରାଜ୍ୟପାଳ
 ପରାମର୍ଶ ଦେଇଛନ୍ତି । ଓଡ଼ିଏଟ ଦକ୍ଷ ମାନବ ସମ୍ବଳ ଏବଂ ଅଭିନବ
 ସମାଧାନ କୌଶଳର ବିକାଶ କରିବା ଦରକାର । ପ୍ରକ୍ରିୟାକରଣ,
 ଭାଲ୍ୟୁ ଆଡିଶନ, ମାର୍କେଟିଂ ଏବଂ ରପ୍ତାନିରେ କୃଷିର ବର୍ଦ୍ଧିତ ପରିସର
 ଉପରେ ଆଲୋଚନାପାତ କରି ଠିକ୍ କୃଷି, ଜୈବ ପ୍ରଯୁକ୍ତି ବିଦ୍ୟା, କୃତ୍ରିମ
 ବୁଦ୍ଧିମତ୍ତା ଏବଂ ସ୍ଥାୟୀ ସମ୍ବଳ ପରିଚାଳନା ଉପରେ ଅଧିକ ଧ୍ୟାନ
 ଦେବାକୁ ରାଜ୍ୟପାଳ ମୁହୂର୍ତ୍ତାବୋଧ କରିଥିଲେ । ଏହି ଅବସରରେ
 ରାଜ୍ୟପାଳ ଓଡ଼ିଏଟରେ ଫୁଲଫାଲ କାର୍ଯ୍ୟସ ଉଦ୍‌ଘାଟନ କରିଥିଲେ ।
 ମସୃଣ ଓ ପଶୁ ସମ୍ପଦ ବିକାଶ ମନ୍ତ୍ରୀ ଗୋକୁଳାନନ୍ଦ ମଲ୍ଲିକ ଗାଈ
 ଓ ଗାଈର ଉନ୍ନତି ପାଇଁ ନିଆଯାଉଥିବା ପଦକ୍ଷେପ ଏବଂ କୃଷିକୁ
 ପ୍ରୋତ୍ସାହିତ କରିବା ପାଇଁ ବିଭିନ୍ନ ସରକାରୀ ଯୋଜନା ବିଷୟରେ
 ଉଲ୍ଲେଖ କରିଥିଲେ । ଏକାଗ୍ର ବିଧାୟକ ବାସୁ ଦିଂ ଏବଂ ଓଡ଼ିଏଟ
 କୁଳପତି ପ୍ରଦେସର ପ୍ରଭାତ କୁମାର ରାଉଳ ବଲ୍ଲବ୍ୟ ରଖିଥିଲେ । ତିନି
 ସମ୍ପ୍ରସାରଣ ଶିକ୍ଷା ତ. ପ୍ରସନ୍ନକାନ୍ତ ମିଶ୍ର ସ୍ୱାଗତ ଭାଷଣ ଓ ଚେରିଷ୍ଟିଆର
 ପ୍ରତିଭା କ୍ଷେତ୍ର ଧନ୍ୟବାଦ ଅର୍ପଣ କରିଥିଲେ । ଏହି ଅବସରରେ ସ୍ୱାର୍ଥ
 ଗାଈ, ବିଭିନ୍ନ କ୍ଷେତ୍ରରେ କୃତ୍ରିମ ହାସଲ କରିଥିବା ଛାତ୍ରାଛାତ୍ରୀ, ଅଧିକାରୀ,
 କର୍ମଚାରୀଙ୍କୁ ପୁରସ୍କୃତ କରାଯିବାସହ ପୁରୁଣା ଉନ୍ନେତିତ ହୋଇଥିଲା ।

ବାରଂ, ୨୪।୮ (ଲିଙ୍ଗରାଜ ରାଉତ)



ନନ୍ଦନବାନନ ପ୍ରାଣାଉଦ୍ୟାନରେ ଏକ ଧଳା ଅଭିରା ବାଦଲୁଆର ମୃଦୁ ଘଟିଛି। ଜନ୍ମ ପରଠାରୁ ବାଦଲୁଆଟି ଚିକିତ୍ସିତ ହେଇଥିଲା। ୨୦୨୫ ଜୁନ ୭ରେ ଧଳା ବାହୁଣୀ ବୋହୂମାଂ ୨୫ଥାରଣ ରଙ୍ଗର ବାଘ ଲଗେଇଠାରୁ ୨ଟି ଛୁଆ ଜନ୍ମ ହୋଇଥିଲେ। ତେବେ ଅଭିରା ବାଦଲୁଆଟି ଦୁର୍ବଳ ଥିବାବେଳେ ତା'ର ଓଜନ ମାତ୍ର ୬୫୦ ଗ୍ରାମ ରହିଥିଲା। ସେହିପରି ଏହାର ଆଗ ଅଙ୍ଗରେ କୁକୁରମାନଙ୍କ ଠାରେ ବେଷ୍ଟବାକୁ ମିଳୁଥିବା ସ୍ଥୁଲଜନ ପପି ସିଣ୍ଡ୍ରୋମ ପରି ବିକୃତି ପରିଲକ୍ଷିତ ହୋଇଥିଲା। କନ୍ଦୁର ୪ ଦିନ ପରେ ଛୁଆଟି ଆଉ କ୍ଷୀରପାନ କରି ପାରି ନଥିଲା। ଥାନରେ ତାକୁ ପ୍ରାଣୀ ଶିଶୁପାଳକ କେନ୍ଦ୍ରକୁ ସ୍ଥାନାନ୍ତରିତ କରାଯାଇଥିଲା।



ପରୀକ୍ଷାକ୍ରିୟା ପରେ ନାହିଁର
ସଂକ୍ରମଣ ଓ ଶରୀରର ଚାପାପ୍ରାପ୍ତ
କମ ଥିବା ଜଣାପଡ଼ିବାକୁ ତାକୁ ଏକ
ଜନକଲ୍ୟାଣକେନ୍ଦ୍ରରେ ରଖାଯାଇଥିଲା ।
ସେଠାରେ ଅକ୍ଟିଭେନ ଓ ଲନସ୍ପ୍ରେଡ଼ର
ଥେରାପି ଦିଆଯାଇଥିଲା । ଅଜପ୍ରସଙ୍ଗକୁ

ଶକ୍ତ କରିବା ପାଇଁ ପିଟିଓଥେରାପି ମଧ୍ୟ କରାଯାଉଥିଲା । ସପ୍ତାହେକାଳ ଛୁଆଁରି ଠିଆ ହୋଇ ନ ପାରିବାରୁ ମଳରେ ରକ୍ତ ପଡ଼ିବା ସହ କାଳି ସଞ୍ଜୁମାଣ ଓ ଶରୀରରେ କ୍ଷତ ଆଚରଣ ହୋଇଯାଇଥିଲା । ସ୍ୱପନପକ୍ଷରେ ପାରୀକ୍ଷୁମାର ଫଳ ଆମ୍ଭଙ୍କ ବାଣୀଛୁଆଁରି କହୁଥିବେ ବୋଲି ଥିବାବେଳେ ତା'ର ଚିକିତ୍ସା ବି ଜାରିରହିଛି ବୋଲି ଶନିବାର ଉପନିର୍ଦ୍ଦେଶକ ସନତ କୁମାର ନାରାୟଣ ପୂଜାର ଦେଇଛନ୍ତି ।

ପୂଜାରାଧ୍ୟୋଗ୍ୟ ବାଣୀଛୁଆଁରିର ମୃତ୍ୟୁ ପରେ ନୟନକାନନରେ ବାଘ ସଂଖ୍ୟା ହ୍ରାସ ପାଇ ୨୮ରେ ପହଞ୍ଚିଛି । ସେଥିମଧ୍ୟରୁ ୧୭ ଅକ୍ତିରା ଓ ୧୧ ମାଳ ରହିଛନ୍ତି । ଯେଉଁଥିରେ ୧୯ ଘାଆଗଣ ରକ୍ଷାର ବାଘ(୧୧ ଅକ୍ତିରା, ୧୯ ମାଳ), ୫ ଧଳାବାଘ (୩ ଅକ୍ତିରା, ୨ ମାଳ) ଏବଂ ୪ କଳାବାଘ (୩ ଅକ୍ତିରା, ୧ମାଳ) ଅଛନ୍ତି ।

ନୂଆପଡ଼ା, ୨୪।୮ (ମଙ୍ଗଳ ବେଳା)

ନୂଆପଡ଼ା ଜିଲ୍ଲା ପୁନାବେଳେ
 ଅଭୟରାଣ୍ୟରେ ଛିଛି ମାଘ ବ୍ୟବଧାନ
 ପରେ ପୁଣି ବାଘ ଆଚଳକ ଦେଖାଦେଇଛି
 ବାଘ ୨ଟି ହେଲେକୁ ଖାଲିଥିବାବେଳେ
 ଲୋକେ ଭୟଭୀତ ଅବସ୍ଥାରେ ରହିଛନ୍ତି
 ଶନିବାର ଅପରାହ୍ନରେ ବୋତେନ ରୁଛନ୍ତି
 ନାଗପଡ଼ା ପଞ୍ଚାୟତ ଖୋଲିଭିତର
 ଗାଁର କେତେଜଣ ଲୋକ ଜଙ୍ଗଲରୁ ଏକ
 ହେଲି ଚରାଇବାକୁ ନେଇଥିଲେ। ସେହି
 ସମୟରେ ହଠାତ୍ ଜଙ୍ଗଲରୁ ଏକ
 କମରାପତରିଆ ବାଘ ଆସି ପହଞ୍ଚିଲା
 ହେଲି ଉପରେ ଖାମ୍ ମାରିଥିଲା। ବାଘଟି

ଦେଖି ଛେଳି ଚରାଳିମାନେ ଭାଉରେ
ଦୋତି ପକାଇଥିଲେ । ଛେଳିଯୁକ୍ତି
ମଧ୍ୟ ଏଣେତେଣେ ଦୌଡ଼ିଥିଲେ
ହେଲେ ଗୋଟିଏ ଛେଳିକୁ ବାଘ ଖିଆଁ
ନେଇ ଶିକାର କରିଥିଲା । ଭଲ ଛେଳିଟି
ଖୋଲିକିତର ଗାଁର ଲୟାସି ରାଜାଙ୍କର
ବୋଲି ଜଣାପଡ଼ିଛି । ସେହିପରି କୋମନା
କୁଳ ସୋସେନ ପଞ୍ଚାୟତ ରୁଆମ
ଗାଁର କେତେକଣ ଜଙ୍ଗଲକୁ ଛେଳି
ଚରାଇବା ପାଇଁ ନେଇଥିଲେ । କମଳ
ମାଝିଙ୍କ ଏକ ଛେଳିକୁ ବାଘ ଟେକି ନେଇ
ଆହାର କରିଥିଲା । ୨ଟି ଛେଳିକୁ ବାଘ
ଶିକାର କରିବା ପରେ ସୁନାବେଢ଼ା
ଅଭୟାରଣ୍ୟ ଭିତରେ ବସବାସ କରୁଥିବା

ଲୋକେ ଏ ପାହାଚ ତଳି ଗାଁର ଲୋକ
ଆତଙ୍କିତ ଅବସ୍ଥାରେ ଅଛନ୍ତି ପାହାଚ
ତଳି ଗାଁମାନଙ୍କର ଲୋକେ ସବୁଦିନେ
ବନ୍ଦ ଦଳ ହୋଇ ଯିବାଆସିବା କରୁଛନ୍ତି ।
ଖବରପାଠ ସ୍ଥାନରେ ବନ୍ଦୀମାନଙ୍କ
ବିଭାଗ କର୍ମଚାରୀ ଏ କୋମଳା ବନ୍ଦ ବିଭାଗ
କର୍ମଚାରୀ ରବିବାର ଘଟଣାସ୍ଥଳରେ
ପହଞ୍ଚି ବାଉର ଗିରିପୁଞ୍ଜ ଉପରେ ନିଜର
ରଖୁଛନ୍ତି । ଡାକବାଳି ମନ୍ତ୍ର ସାହାଯ୍ୟରେ
ଲୋକଙ୍କୁ ସତରେ କରାଯାଉଛି । ଏ
ସଞ୍ଚାଳକରେ ବନ୍ଦୀମାନଙ୍କ ବିଭାଗ ସଂସ୍ଥାପନ
ସୁଦ୍ଧା ବନଗୋଳାଙ୍କୁ ପରିଚାରିବ
ସ୍ଥାନରେ ଆୟତନର ଗୁଣ ଗୁଣ ବାଦ
ଆତଙ୍କ ଲାଗି ରହିଥିବା କହିଥିଲେ ।

The advertisement features a bright blue sky background. On the left, a large, stylized graphic reads 'THE GREAT PRE-OWNED CAR-NIVAL' in white and red text, surrounded by colorful confetti. In the center, three cars are displayed: a blue hatchback, a light blue hatchback, and a red hatchback, all with 'True Value CERTIFIED' badges on their front grilles. Behind the cars is a modern building with a blue and white facade, featuring the Maruti Suzuki and True Value logos. To the right of the cars, text in bold blue font reads 'STEP INTO THE ULTIMATE CAR-NIVAL!'. Below this, it says 'Explore top-quality pre-owned cars at unbeatable prices, with exciting deals that make every ride worth it.' Further down, it mentions 'Attractive finance options available on a wide range of cars!', 'Visit to Avail Exciting Benefits* Worth ₹5 000', 'Venue: All True Value Showrooms', and 'Date: 23-08-2025 To 29-08-2025'. At the bottom left, there is a disclaimer in small text: '*T&C apply. Creative Visualization. Accessories and features shown may not be part of standard fitment. Car colour may vary due to printing on paper. Images are used for illustration purposes. Maruti Suzuki reserves the right to withdraw offers at any point in time without any advance notice. Offer valid till stocks last. Offer valid for limited models and in select states only. Offer may vary subject to the city, model and variant purchased. Financing is at sole discretion of the financiers.' At the bottom center, the contact information 'BERHAMPUR: SKY AUTOMOBILES: 7381019416, 7440011607.' is displayed in bold black text.

ଭୁବନେଶ୍ୱର, ସୋମବାର, ୨୫ ଅଗଷ୍ଟ, ୨୦୨୫

ଭୁବନେଶ୍ୱର

- ଓଡ଼ିଶା ସାହିତ୍ୟ ଏକାଡ଼େମୀ ଓ ଗୋଧୂଳି ସାହିତ୍ୟ ସଂସଦ ପକ୍ଷରୁ ଆଲୋଚନାଚକ୍ର(ଭକ୍ତି ସାହିତ୍ୟରେ ରାୟ ରମାନନ୍ଦ ପଟ୍ଟନାୟକଙ୍କ ସାରସ୍ୱତ ଅବଦାନ), ସ୍ଥାନ: ବ୍ରଜମନ୍ଦିର ସଭାଗୃହ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ ଟା।
- ସ୍ଥାପନା ଟ୍ରଷ୍ଟ ପକ୍ଷରୁ ‘ବନ୍ଦେ ଓଡ଼ିଶା’ କାର୍ଯ୍ୟକ୍ରମ, ସ୍ଥାନ: ସୂଚନା ଭବନ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ ଟା।
- ପକ୍ଷାଘର ପ୍ରକାଶନୀ ପକ୍ଷରୁ ଫେରିବାକୁ ହେବ ପୁସ୍ତକ ଲୋକାର୍ପଣ, ସ୍ଥାନ: ହୋଟେଲ୍ ଆର୍ଯ୍ୟ ପ୍ୟାଲେସ, ସମୟ: ସନ୍ଧ୍ୟା ୬ଟା।
- ବି.କେ ପବ୍ଲିକେଶନ୍ ପ୍ରଜ୍ଞଭେଟ୍ ଲିଃ ପକ୍ଷରୁ ପାଠକାର୍ପଣ ସମାରୋହ, ସ୍ଥାନ: ଗୀତଗୋବିନ୍ଦ ସଦନ, ସମୟ: ସନ୍ଧ୍ୟା ୬ ଟା ୨୯।

ଖୋର୍ଦ୍ଧା

- ଉତ୍କଳ ବୈଷୟିକ କଲେଜର ଓରିଏଣ୍ଟେଶନ କାର୍ଯ୍ୟକ୍ରମ, ସ୍ଥାନ: ରଥପୁର, ଜଟଣୀ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

ବାଲେଶ୍ୱର

- ମିଳିତ ଜନ ଅଭିଯୋଗ ଶୁଣାଣି ଶିବିର,ସ୍ଥାନ:ବ୍ଲକ ପରିସର, ଖଇରା,ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

ଭଦ୍ରକ

- ମିଳିତ ଜନଅଭିଯୋଗ ଶୁଣାଣି ଶିବିର, ସ୍ଥାନ: ପଞ୍ଚାୟତ ସମିତି ସଭାଗୃହ, ତିହଡ଼ି, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

ମୟୂରଭଞ୍ଜ

- କୃତ୍ତିପଦା ଉପଖଣ୍ଡସ୍ତରାୟ ଯୁକ୍ତ ଜନ ଅଭିଯୋଗ ଶୁଣାଣି,ସ୍ଥାନ:ଉଦଳା ଉପଜିଲ୍ଲାପାଳଙ୍କ କାର୍ଯ୍ୟାଳୟ ସଭାଗୃହ,ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

ବ୍ରହ୍ମପୁର

- ମାରଣୀ ସାମ୍ବ୍ୟା ଶିବିର, ସ୍ଥାନ: ହରିହର ଭେଟ ମନ୍ଦିର, ହରିହର ନଗର,ସମୟ: ସକାଳ ୮ଟା୩୦।
- ବିଜ୍ଞସମ୍ପଦି ପକ୍ଷରୁ ଫୁଟବଲ୍ ମ୍ୟାଚ , ସ୍ଥାନ: ଖଲିକୋଟ ବିଶ୍ୱବିଦ୍ୟାଳୟ ଷ୍ଟାଡିୟମ, ସମୟ: ଅପରାହ୍ନ ୪ ଟା।

ଗଞ୍ଜାମ

- ଗ୍ରାମ ପଞ୍ଚାୟତସ୍ତରାୟ ଜନଶୁଣାଣି, ସ୍ଥାନ: କୋଟିନଦୀ ପଞ୍ଚାୟତ କାର୍ଯ୍ୟାଳୟ ଦିଗପହଣ୍ଡି , ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ ଟା।
- ଗ୍ରାମ ପଞ୍ଚାୟତସ୍ତରାୟ ଜନଶୁଣାଣି, ସ୍ଥାନ: ଆସିକା ବ୍ଲକ ଆଳିପୁର ପଞ୍ଚାୟତ କାର୍ଯ୍ୟାଳୟ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ଓଡ଼ିଶା ନିର୍ମାଣ ଶ୍ରମିକ ୟୁନିଅନ ପକ୍ଷରୁ

ଶ୍ରମ କାର୍ଯ୍ୟାଳୟ ଘେରାଉ, ସ୍ଥାନ: ଚିନିଶିଳ ନୂଆଗାଁ, ଆସିକା, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ଟା।

- ଦିବ୍ୟାଙ୍ଗ ଛାତ୍ରାଛାତ୍ର ଚିହ୍ନଟ ଶିବିର, ସ୍ଥାନ: ଆସିକା ବ୍ଲକ କାଳିକ୍ଷଣ୍ଡପୁର ହାଇସ୍କୁଲ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ଟା।

କନ୍ଧମାଳ

- ଜିଲ୍ଲାପାଳଙ୍କ ଯୁକ୍ତ ଜନ ଅଭିଯୋଗ ଶୁଣାଣି, ସ୍ଥାନ: କୋଟଗଡ ବ୍ଲକ୍ କାର୍ଯ୍ୟାଳୟ, ସମୟ: ପୂର୍ବହ୍ନ ୧୦ଟା।

ଗଜପତି

- ମାଗଣା ସାସ୍ନା ଶିବିର, ସ୍ଥାନ: କାଶୀନଗର ବ୍ଲକ୍ ଖାଣ୍ଡବାଗ୍ରାମ, ସମୟ: ସକାଳ ୯ଟା।

ଢେଙ୍କାନାଳ

- ମିଳିତ ଜନ ଅଭିଯୋଗ ଶୁଣାଣି ଶିବିର, ସ୍ଥାନ: ଭୁବନ ବ୍ଲକ କାର୍ଯ୍ୟାଳୟ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ବ୍ରହ୍ମାକୁମାରୀ ପକ୍ଷରୁ ମେଘା ରକ୍ତଦାନ ଶିବିର, ସ୍ଥାନ: ବ୍ରହ୍ମକୁମାରୀ ଶାଖା, ଜଗନାଥରୋଡ, ଢେଙ୍କାନାଳ, ସମୟ: ସକାଳ ୯ଟା।

ଜଗତ୍ସିଂହପୁର

- ପାରାଦୀପ କଲେଜ ଏଂସିସି କ୍ୟୁଟନାଷକ୍ ପାଇଁ ବିଦାୟ କାଳୀନ ସମ୍ବର୍ଦ୍ଧନା କାର୍ଯ୍ୟକ୍ରମ, ସ୍ଥାନ: କଲେଜ ପରିସର, ନୂଆବଜାର, ପାରାଦୀପ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

କେନ୍ଦ୍ରାପଡ଼ା

- ପ୍ରଶାସନିକ ମିଳିତ ଜନଶୁଣାଣି ଶିବିର, ସ୍ଥାନ: ପଞ୍ଚାୟତ ସମିତି ଗୃହ, ମାଣ୍ଡାଘାଇ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ମା’ ପାଇ ଗଛଟିଏ କାର୍ଯ୍ୟକ୍ରମ, ସ୍ଥାନ: ଜରିମୂଳ, ରାଜନଗର, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

ଯାଜପୁର


- ବ୍ରହ୍ମାକୁମାରୀ ଅଳି ଭଉଣୀଙ୍କ ସ୍ମୃତିରେ ରକ୍ତଦାନ ଶିବିର, ସ୍ଥାନ : ଧର୍ମଶାଳା ଷ୍ଟାଡିୟମ୍ ପରିସର, ସମୟ: ସକାଳ ୯ଟା।
- କାବକାଳୁ ଏଂସଏ ମାନ୍ୟତା ଦାଦିରେ ଧର୍ମଶାଳା କଂଗ୍ରେସ କମିଟି ପକ୍ଷରୁ ଆନ୍ଦୋଳନ, ସ୍ଥାନ: କାରକା ପ୍ଲାଏ ଓଭରବ୍ରିଜ୍ ତଳ,ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ଯାଜପୁର ଜିଲାପାଓ ଓ ଏସିଏକ ମିଳିତ ଅଭିଯୋଗ ଶୁଣାଣି କାର୍ଯ୍ୟକ୍ରମ, ସ୍ଥାନ: କୋରେଇ ବ୍ଲକ ପରିସର, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ପଦ୍ମଶ୍ରୀ କବି ରାଧାମୋହନ ଗଡ଼ନାୟକଙ୍କ ୧୧୫ତମ ଜୟନ୍ତୀ ଓ ଆଲୋଚନା ଚକ୍ର, ସ୍ଥାନ: ବିଷ୍ଣୁରାସୁର ବ୍ଲକ ଗୌଡ଼ସାହି ଧନେଶ୍ୱର ହାଇସ୍କୁଲ ପରିସର, ସମୟ : ଅପରାହ୍ନ ୨ଟା।

ଫୁଟବଲ ଖେଳାଳିଙ୍କ ମୃତ୍ୟୁ, ଉତ୍ତେଜନା

ଦେବଗଡ଼,୨୪।୮(ଶଶୀଙ୍କ ଶେଖର ଝାଙ୍କର)- ଦେବଗଡ଼ସ୍ଥିତ ଇନ୍ଦିରାବାଣୀ ଷ୍ଟାଡିୟମରେ ରବିବାର ଫୁଟବଲ ଚୁର୍ଚ୍ଚାମେଣ୍ଡ ରାଜିଥିବାବେଳେ ଏକ ଅଭାବନୀୟ ଘଟଣା ଘଟିଛି। ଫୁଟବଲ ଖେଳୁଥିବା ଜଣେ ଖେଳାଳିଙ୍କ ମୃତ୍ୟୁ ଘଟିଛି। ସେ ହେଲେ ଦେବଗଡ଼ ସହର ଭୂସିଂସାହିର ପ୍ରକାଶ ନାୟକ। ସୂଚନା ଅନୁଯାୟୀ, ସ୍ୱାସ୍ଥର ଶାସନ ଦିବସ ଉପଲକ୍ଷେ ଦେବଗଡ଼ ପୌର ପ୍ରଶାସନ ପକ୍ଷରୁ କାରନସିଲର କପ୍ ଫୁଟବଲ ଚୁର୍ଚ୍ଚାମେଣ୍ଡ ଆୟୋଜନ କରାଯାଉଥିବାବେଳେ ଜିଲା ଆଧିକେତିକ୍ ଆସୋସିଏଶନ ପରିଚାଳନା କରୁଥିଲା। ରବିବାର ୨ ଏବଂ ୬ ନମ୍ବର ଖର୍ଚର ଫୁଟବଲ ଟିମ୍ ମଧ୍ୟରେ ପଡ଼ିଆରେ ମ୍ୟାଚ ଚାଲିଥିବାବେଳେ ଖେଳାଳି ପ୍ରକାଶ ତଳେ ପଡ଼ିଯାଉଥିଲେ। ଚିଟିକ୍ଷା ଲାଗି ଡାକ୍ତୁ ଦେବଗଡ଼ ଚାକ୍ତରଖାନାରେ ଭର୍ତ୍ତି କରାଯାଉଥିଲା। ସେଠାରେ ତାଙ୍କୁ ଚାକ୍ତର ମୃତ ସୋଷଣା କରିଥିଲେ। ମୃତ୍ୟୁର କାରଣ ଅବସ୍ଥ ଥିବାବେଳେ ହୃଦ୍‌ଘାତରେ ତାଙ୍କର ମୃତ୍ୟୁ ଘଟିଥିବା ଚାକ୍ତର ଅନୁମାନ କରୁଛନ୍ତି। ଜିଲା ଆଧିକେତିକ୍ ଆସୋସିଏଶନ ଚୁର୍ଚ୍ଚାମେଣ୍ଡ ପରିଚାଳନା କରୁଥିବାବେଳେ ପଡିଆ ନିକଟରେ କରୁଚିକାଳାନ ସେବା ପାଇଁ ଆୟୁଲାଇ ବ୍ୟବସ୍ଥା ନ ଥିଲା। ଏହାକୁ ନେଇ ଖେଳାଳି ଏବଂ ସ୍ଥାନୀୟ ଲୋକଙ୍କ ମଧ୍ୟରେ ଅସନ୍ତୋଷ ପ୍ରକାଶ ପାଇଥିବାବେଳେ ଚାକ୍ତରଖାନାରେ କିଛି ସମୟ ପାଇଁ ଉତ୍ତେଜନା ଦେଖାଦେଇଥିଲା।

ଦିଗାଦିମାଳି
(କ୍ରମେ ଲୋକମୁଖର ଓ ଜନମାନସରୁ ବିସ୍ତୃତ ହେଉଥିବା ଜଗଜମାଳିକୁ ପାଠିକା—ପାଠକଙ୍କ ନିକଟରେ ପହଞ୍ଚାଇବା ସକାଶେ ଧରିଚ୍ଛାର ପ୍ରୟାସ)

ସମ୍ପଦ ବେଳେ ନ କରିବ ଚାତର ବିପଦ ବେଳେ ନ ହୋଇବ କାତର।
ସମ୍ପଦ ପ୍ରାପ୍ତିରେ ମନରେ କୌଣସି ପ୍ରକାର ଗର୍ବ ଏବଂ ଅହଙ୍କାର ଆଣିବା ଅନୁଚିତ। ସେହିପରି ବିପଦ ପଡ଼ିଥିବା ବେଳେ ମୁଁଯମାଣ ନ ହୋଇ ଏହାକୁ ଧୈର୍ଯ୍ୟର ସହ ମୁକାବିଲା କା ସାମନା କରିବା ଉଚିତ। ବିପଦକୁ ସାମନା କରିବା ପାଇଁ ମନରେ ସାହସ ବାନ୍ଧିଲେ ବିପଦ ଚଳିଯାଉଥିବା ଅର୍ଥରେ ଏଭଳି ଉକ୍ତି ଉଲ୍ଲେଖ କରାଯାଇଛି।
ସବୁ ଯାଉ ମହତ ଆଉ ମହତ ଗଲେ ନ ମିଳେ ଆଉ।
ମନୁଷ୍ୟର ଏକ ଉତ୍କୃଷ୍ଟ ଗୁଣ ହେଉଛି ମାନ ସମ୍ମାନ। ମଣିଷର ମର୍ଯ୍ୟାଦା ପ୍ରାଣଠାରୁ ବ଼ି ବିଶାଳ। ଏହାକୁ ଯିଏ ଅରେ ହରାଏ ସିଏ ଆଉ ତାହା ପେରିପାଏନା। ଧନସମ୍ପତ୍ତି ଅରେ ଚାଲିଗଲେ ତାହା ହୁଏତ ଫେରି ଆସିବାର ସମ୍ଭାବନା ରହିଥାଏ, କିନ୍ତୁ ମାନସମ୍ମାନ ପୁନଶ୍ଚ ଫେରି ଆସି ନ ଥାଏ। ମାନସମ୍ମାନ ହାନି ଯୋଗୁ ବ୍ୟକ୍ତିତ୍ୱର ବଳିଷ୍ଠତା ମଧ୍ୟ ହ୍ରାସ ପାଇଥାଏ। ତେଣୁ ଏଥି ପ୍ରତି ସଜାଗ ରହିବା ବିଧେୟ ଅର୍ଥରେ ଏଭଳି ଉକ୍ତି ପ୍ରକାଶ କରାଯାଇଛି।
ନିର୍ବୀଚିତ ଜଗଜମାଳି, ପ୍ରବାଦ, ପ୍ରବଚନ ଓ ଅନ୍ୟାନ୍ୟ – ପ୍ରାଣ ସାହିତ୍ୟ ପ୍ରତିଷ୍ଠାନ



ରବିବାର ଅପରାହ୍ନ ୫ଟାରେ ମହାକାଶରୁ ଉଦ୍ଭୋକିତ ପାଣିପାଗର ଚିତ୍ର ।

ଆଜି କ’ଣ କେଉଁଠି

ନୟାଗଡ଼

- ଜିଲାପାଳଙ୍କ ଅଭିଯୋଗ ଶୁଣାଣୀ ଶିବିର, ସ୍ଥାନ: ଦଶପଲ୍ଲୀ ବ୍ଲକ କାର୍ଯ୍ୟାଳୟ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ସଂସ୍କୃତ ସମାଷଷ ପ୍ରଶିକ୍ଷଣର ୫ମ ଦିବସ, ସ୍ଥାନ: ନୟାଗଡ ବ୍ଲକ ବରପଲ୍ଲୀ ହାଇସ୍କୁଲ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ଟା।
- ସ୍ଥାନ: ନୟାଗଡ ବ୍ଲକ ସଜନାପଡା ହାଇସ୍କୁଲ, ସମୟ: ପୂର୍ବାହ୍ନ ସାଢ଼େ ୧୦ଟା।
- ସଂସ୍କୃତ ସମାଷଷ ପ୍ରଶିକ୍ଷଣର ୩ୟ ଦିବସ, ସ୍ଥାନ: ନୟାଗଡ ରାମକୃଷ୍ଣ ଆଦର୍ଶ ଶିକ୍ଷାକେନ୍ଦ୍ର, ସମୟ: ପୂର୍ବାହ୍ନ ସାଢ଼େ ୧୦ଟା।
- ଭାରତ ବିକାଶ ପରିଷଦ ପକ୍ଷରୁ ମାଗଣା ଚକ୍ଷୁ ପରୀକ୍ଷଣ ଓ ଚଷମା ବ୍ୟବନ କାର୍ଯ୍ୟକ୍ରମ, ସ୍ଥାନ:ଖଣ୍ଡପଡା ବ୍ଲକର କିଆଝର ଗାଁ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

ରାୟଗଡ଼ା

- ମେଘା ଶିଶୁ ସାସ୍ନା ଶିବିର, ସ୍ଥାନ: ପଦ୍ମପୁର ଗୋଷ୍ଠୀ ସାସ୍ନା କେନ୍ଦ୍ର ପରିସର, ସମୟ: ସକାଳ ୮ଟା।
- ରକ୍ତଦାନ ଶିବିର, ସ୍ଥାନ: ବ୍ରହ୍ମକୁମାରୀ ସୋସିଆଲ ସର୍ଭିସ୍, ପୁନିଚୁଡ଼ା, ସମୟ: ସକାଳ ୯ଟା।
- ଜିଲାପାଳଙ୍କ ଯୁକ୍ତ ଅଭିଯୋଗ ଶୁଣାଣି, ସ୍ଥାନ: ପଞ୍ଚାୟତ ସମିତି କାର୍ଯ୍ୟାଳୟ, ପୁନିଚୁଡ଼ା, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ସ୍ୱାୟତ୍ତ ଶାସନ ଦିବସ ଉପଲକ୍ଷେ ଛାତ୍ରାଛାତ୍ରଙ୍କୁ ନେଇ ବକ୍ସଡ଼ା, ରଚନା ଓ ଚିତ୍ରାଙ୍କନ ପ୍ରତିଯୋଗିତା, ସ୍ଥାନ: ବିଜୁ ପଟ୍ଟନାୟକ ଅଡ଼ିଟୋରିୟମ, ଟାଉନ ହଲ୍, ପୁନିସିପାଳିତ କାର୍ଯ୍ୟାଳୟ, ରାୟଗଡ଼ା, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- କଂଗ୍ରେସ କର୍ମୀ ସମ୍ମିଳନୀ, ସ୍ଥାନ: କଦମା, ରୂଡାରି ବ୍ଲକ୍, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ଟା।

ନବରଙ୍ଗପୁର

- ଯୁକ୍ତ ଅଭିଯୋଗ ଶୁଣାଣି, ସ୍ଥାନ: ଡାବୁଗାଁ ବ୍ଲକ କାର୍ଯ୍ୟାଳୟ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ଦୁର୍ଗା ପୂଜା ପ୍ରସ୍ତୁତି ବୈଠକ, ସ୍ଥାନ: ଝରିଗାଁ ଜଗନ୍ନାଥ ମନ୍ଦିର, ସମୟ: ଅପରାହ୍ନ ୩ଟା।

କୋରାପୁଟ

- ଜିଲାସ୍ତରାୟ ଜନଶୁଣାଣି, ସ୍ଥାନ: ଦୈପାରାଚୁଡ଼ା ବ୍ଲକ କାର୍ଯ୍ୟାଳୟ, ସମୟ : ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ପଞ୍ଚାୟତସ୍ତରାୟ ଜନଶୁଣାଣି, ସ୍ଥାନ: ସେମିଳିଚୁଡ଼ା ବ୍ଲକ କୁଛୁଲି ପଞ୍ଚାୟତ କାର୍ଯ୍ୟାଳୟ, ନନ୍ଦପୁର ବ୍ଲକର ମାଳିବେଲଗାଁ ପଞ୍ଚାୟତ, ମାରାଟମାଳ ପଞ୍ଚାୟତ କାର୍ଯ୍ୟାଳୟ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା,

- ସ୍ଥାନ: ଜୟଚରିରି, ଜୟପୁର, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ଟା।
- ମା ପାଇଁ ଗଛଟିଏ କାର୍ଯ୍ୟକ୍ରମ, ସ୍ଥାନ: ପୌର ପରିଷଦ ପରିସର, ସୁନାବେଡ଼ା, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ବ୍ରହ୍ମକୁମାରୀ ଇଶ୍ୱରୀୟ ବିଶ୍ୱବିଦ୍ୟାଳୟର ରକ୍ତଦାନ ଶିବିର, ସ୍ଥାନ: ଭବାନୀନଗରସ୍ଥିତ କୋରାପୁଟ ଶାଖା କାର୍ଯ୍ୟାଳୟ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ଟା।

ମାଲକାନଗିରି

- ୟୁରିଆ ସାର ଅଭାବକୁ ନେଇ ମାଲକାନଗିରି ନବ ନିର୍ମାଣ କୃଷକ ସଂଗଠନ ପକ୍ଷରୁ ରାସ୍ତା ଅବରୋଧ ଓ ଧାରଣା, ସ୍ଥାନ: ମାଲକାନଗିରି ବ୍ଲକ ଶିଖପାଲ୍ଲୀ ସଦର ପଞ୍ଚାୟତ ୩୨୬ ନଂ. ଜାଡ଼ାୟ ରାଜପଥ, ସମୟ: ସକାଳ ୮ ଟା ।
- ଜିଲା ପ୍ରଶାସନର ମିଳିତ ଜନ ଶୁଣାଣି, ସ୍ଥାନ: କୋଡୁକୋଣ୍ଡା ବ୍ଲକ କାର୍ଯ୍ୟାଳୟ ସଭା ଗୃହ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

ସମ୍ବଲପୁର

- ସମ୍ବଲପୁର ଜିଲା କ୍ରିକେଟ ସଂଘ ଆୟୋଜିତ ଜୁନିୟର ବାଳକ କ୍ରିକେଟ ଚୁର୍ଚ୍ଚାମେଣ୍ଡର ସେମିଫାଇଲ ମ୍ୟାଚ, ସ୍ଥାନ : ହାଷା ମଇଦାନ, ସମୟ : ସକାଳ ୯ଟା।
- ଜିଲା ପ୍ରଶାସନର ମିଳିତ ଜନ ଶୁଣାଣି, ସ୍ଥାନ : ରେଡ଼ାଖୋଲ, ସମୟ : ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ସପ୍ତାହ ବ୍ୟାପୀ ଚାଲିଥିବା ଫଟୋ ପ୍ରଦର୍ଶନୀର ଉଦ୍‌ଘାଟନା ଉତ୍ସବ, ସ୍ଥାନ : ସାସ୍ୱଦିକ ଭବନ, ସମୟ : ପୂର୍ବାହ୍ନ ୧୧ଟା।

ରାଉରକେଲା

- ଗାୟତ୍ରୀ ଶକ୍ତିପୀଠରେ ସାମହିକ ହୋମସଙ୍ଘ, ସ୍ଥାନ: ସେକ୍ଟର-୨, ଗାୟତ୍ରୀ ଶକ୍ତିପୀଠ, ସମୟ: ସକାଳ ୬ଟା।
- ୬୯ତମ ଜିଲା ବିଦ୍ୟାଳୟ କ୍ରୀଡ଼ା ଚାମ୍ପିୟନଶିପ୍, ସ୍ଥାନ: ଉଦିନଗର, ସମୟ: ସକାଳ ୯ଟା ୩୦।
- ସୁଶୀଳାବତୀ ମହିଳା ମହାବିଦ୍ୟାଳୟରେ ଆଲୋଚନାଚକ୍ର, ସ୍ଥାନ: ସେକ୍ଟର-୨, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ଡ୍ରେନ ସଫେଇ ନେଇ କର୍ମଶନରକୁ ଦାଦିପତ୍ର ପ୍ରଦାନ, ସ୍ଥାନ: ଆର୍କସମ୍ପଦି କାର୍ଯ୍ୟାଳୟ, ଉଦିନଗର ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ଟା ।
- ଚିତ୍ରାଙ୍କନ ପ୍ରତିଯୋଗିତା ଓ ମତେଇ ପ୍ରସ୍ତୁତି, ସ୍ଥାନ: ସେକ୍ଟର-୩ ଯୁଥ୍ ହଷ୍ଟେଲ ଅଫ୍ ଇଣ୍ଡିଆ, ସମୟ: ଅପରାହ୍ନ ୩ଟା।
- ସାହିତ୍ୟ ଆସର, ସ୍ଥାନ: ଆଦର୍ଶ ପାଠାଗାର, ସମୟ: ସନ୍ଧ୍ୟା ୬ଟା।

ବରଗଡ଼

- ମିଳିତ ଜନ ଅଭିଯୋଗ ଶୁଣାଣି ଶିବିର,

- ସ୍ଥାନ:ପଞ୍ଚାୟତ ସମିତି ସଭା କକ୍ଷ, ସୋହେଲା, ସମୟ:ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ବୈଷ୍ଣାଙ୍କୁତ ରକ୍ତଦାନ ଶିବିର, ସ୍ଥାନ: ଗୋଇଜର, ବରଗଡ଼, ସମୟ:ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ଗ୍ରାଜୁଏଶନ ଡେ ପାଳନ, ସ୍ଥାନ: ବିକାଶ ଶିକ୍ଷାନୁଷ୍ଠାନ ପରିସର, ବରଗଡ଼, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

କଳାହାଣ୍ଡି

- ଜିଲାପାଳଙ୍କ ଅଭିଯୋଗ ଶୁଣାଣୀ ଓ ସମାଧାନ ଶିବିର, ସ୍ଥାନ: ଗୋଲାପୁଣ୍ଡା ବ୍ଲକ କାର୍ଯ୍ୟାଳୟ ସମ୍ମିଳନୀ କକ୍ଷ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ରାଜ୍ୟ ଅମଳା ସଂଘର ପ୍ରତିବାଦ ସଭା, ସ୍ଥାନ: ଭବାନୀପାଟଣା ସ୍ଥିତ ଜିଲା ଅମଳା ଭବନ,ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

. ବୌଦ୍ଧ

- ଜିଲାପାଳଙ୍କ ଯୁକ୍ତ ଜନଶୁଣାଣି ଶିବିର, ସ୍ଥାନ: ଛତରଙ୍ଗ ପଞ୍ଚାୟତ କାର୍ଯ୍ୟାଳୟ, ହରଭଙ୍ଗା ବ୍ଲକ, ବୌଦ୍ଧ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ରାଜ୍ୟ ଢାଳପା ସଭାପତିଙ୍କୁ ସ୍ୱାଗତ ସମ୍ବର୍ଦ୍ଧନା, ସ୍ଥାନ: ଟାଉନ ହଲ୍, ବୌଦ୍ଧ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୧ଟା।

ଦେବଗଡ଼

- ଜିଲାପାଳଙ୍କ ଯୁକ୍ତ ଅଭିଯୋଗ ଶୁଣାଣି, ସ୍ଥାନ: ତିଲେଇବଣୀ ବ୍ଲକ ଟାଙ୍କିସର ପଞ୍ଚାୟତ କାର୍ଯ୍ୟାଳୟ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ମା’ ଜନକ ଦୁର୍ଗାଙ୍କ ସନ୍ଧ୍ୟା ଆଳତି, ସ୍ଥାନ: ଦେବଗଡ଼ ମଠସାହିସ୍ଥିତ ମା’ ଜନକ ଦୁର୍ଗା ମନ୍ଦିର, ସମୟ: ସନ୍ଧ୍ୟା ୬ଟା।

ସୁବର୍ଣ୍ଣପୁର

- ଜିଲାପାଳ, ଏସିଏକ ମିଳିତ ଅଭିଯୋଗ ଶୁଣାଣି ଶିବିର, ସ୍ଥାନ:ଦୁର୍ଗନତଏଲା ଗ୍ରାମ ପଞ୍ଚାୟତ କାର୍ଯ୍ୟାଳୟ, ବୀରମହାରାଜପୁର, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।

ନୂଆପଡ଼ା

- ଜିଲାପାଳଙ୍କ ଯୁକ୍ତ ଅଭିଯୋଗ ଶୁଣାଣି ଶିବିର, ସ୍ଥାନ: ପଞ୍ଚାୟତ ସମିତି କାର୍ଯ୍ୟାଳୟ, ଖଡିଆଳ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ଜିଲା ରାଜସ୍ୱ ଅମଳା ସଂଘର ଧାରଣା, ସ୍ଥାନ: ଜିଲାପାଳ କାର୍ଯ୍ୟାଳୟ ସମ୍ମୁଖ, ସମୟ: ପୂର୍ବାହ୍ନ ୧୦ଟା।
- ଜିଲାପାଳଙ୍କ ବର୍ଷିତ ଅଭିଯୋଗ ଶୁଣାଣି ଶିବିର, ସ୍ଥାନ: ଖଡିଆଳ ବ୍ଲକ କୁଳିଆ ସିଙ୍ଗୁଆ ପଞ୍ଚାୟତ କାର୍ଯ୍ୟାଳୟ, ସମୟ: ଅପରାହ୍ନ ୩ ଟା।
- ୮ତମ ନୂଆପଡ଼ା କପ୍ ଫୁଟବଲ ଚୁର୍ଚ୍ଚାମେଣ୍ଡ ଉଦ୍‌ଘାଟନ, ସ୍ଥାନ: ମିନି ଷ୍ଟାଡିୟମ ନୂଆପଡ଼ା, ସମୟ: ଅପରାହ୍ନ ୪ ଟା।

ଆଜି ଦିଲ୍ଲୀରେ ଓଡ଼ିଶା କଂଗ୍ରେସର ମାନସମନ୍ତନ

 ୩୫ ସାଙ୍ଗଠନିକ ଜିଲା ସଭାସତିରେ ବାଜିସାରେ ମୋହର

ମଜଭୂତ ହେବ ସେଥିପାଇଁ ରାହୁଲ ଷତପ୍ତ ଚିତ୍ତ ଦେବେ। ସୁଜନ କାର୍ଯ୍ୟକ୍ରମ ପରିପ୍ରେଷଣରେ ଆସନ୍ତାକାଲି ଓଡ଼ିଶାର ପାଳି ରହିଛି। ଏହି ଅବସରରେ ରାଜ୍ୟ କଂଗ୍ରେସର ଦିଭିଜ ଦିଗ ଉପରେ ଆଲୋଚନା ହେବ। ବିଶେଷ ରାଜ୍ୟରେ କଂଗ୍ରେସ ସଙ୍ଗଠନ କିଭଳି ଅଧିକ
ପ୍ରଥମ ପୃଷ୍ଠାରୁ...

୨,୭୫୦ ପ୍ରକଳ୍ପ ...

ରାଜ୍ୟ ସରକାର ଗାଗଣ୍ଡାର ମୌଳିକ ସମସ୍ୟାକୁ ଦୃଷ୍ଟିରେ ରଖି ବିଧାୟକ ଏବଂ ମନ୍ତ୍ରୀଙ୍କ ସୁପାରିସ ଆଧାରରେ କେଉଁଠି ଭାଗବତ ଚୁକ୍ତି ତ ଆଉ କେଉଁଠି ଖେଳପଡ଼ିଆ ଭଳି ଉନତିମୂଳକ ପ୍ରକଳ୍ପ ଲାଗି ପାଣି ପ୍ରଦାନ କରୁଥିଲେ। ମାତ୍ର ତାହା ପରବର୍ତ୍ତୀ ସମୟରେ ମୁଖ୍ୟମନ୍ତ୍ରୀ ଷତନୁ ସହାୟତା(ସିଏମ୍‌ଏସ୍‌ଏ) ଯୋଜନା ନାମରେ ନାମିତ ହୋଇଥିଲା। ଏହି ଯୋଜନାରେ ନବୀନ ସରକାର ୨୦୨୩–୨୦୨୪ରେ ସବୁ ଜିଲାରେ ପ୍ରାୟ ୩ହଜାରରୁ ଅଧିକ ପ୍ରକଳ୍ପ ପାଇଁ ଶତାଧିକ କୋଟି ଟଙ୍କାର ଅନୁଦାନ ରାଶି ଦେବାକୁ ଘୋଷଣା କରିଥିଲେ। ହେଲେ ଇତିମଧ୍ୟରେ ଦୁଇବର୍ଷ ବିତିଥିଲେ ହେଁ ସେଥିରୁ କେତେକ ପ୍ରକଳ୍ପର ମୂଳଦୁଆ ପଡ଼ି ନ ଥିବାବେଳେ ଆଉ କେତେକ ପ୍ରକଳ୍ପ ପାଇଁ ଟେଣ୍ଡର ହୋଇନାହିଁ। ଏହାକୁ ନେଇ ମୁଖ୍ୟମନ୍ତ୍ରୀଙ୍କ କାର୍ଯ୍ୟାଳୟ, ମୁଖ୍ୟଶାସନ ସଚିବ ମନୋଜ ଆହୁଜା ଏବଂ ଉନୟନ ଆୟୁକ୍ତ ଅରୁ ଗର୍ଗଳ ନିର୍ଦ୍ଦେଶକ୍ରମେ ରାଜ୍ୟ ଯୋଜନା ଓ ସଂଯୋଜକ ବିଭାଗ ପକ୍ଷରୁ ସବୁ ଜିଲାପାଳଙ୍କଠାରୁ ପ୍ରକଳ୍ପର ସ୍ଥିତାବସ୍ଥା ରିପୋର୍ଟ ଲୋଡାଯାଇଥିଲା। ଜିଲାପାଳମାନଙ୍କ ରିପୋର୍ଟ ଆଧାରରେ ରାଜ୍ୟରେ ପ୍ରାୟ ୨୬୫୦ ପ୍ରକଳ୍ପ କାର୍ଯ୍ୟ ଆରମ୍ଭ ହୋଇ ନ ଥିବା ଜଣାଯାଇଥିଲା। ଏହାକୁ ନେଇ ରାଜ୍ୟ ସରକାର ସଂପୃକ୍ତ ପ୍ରକଳ୍ପଗୁଡ଼ିକୁ ଚକିତମାସ ୧୬ରେ ବାତିଲ କରିଛନ୍ତି। ଯେଉଁଠାରେ ଲୋକଙ୍କ ସମସ୍ୟା ରହିଛି ସେଠାରେ ନୂତନ ଯୋଜନା ସିଏମ୍‌ଏସ୍‌ଏରୁ ଦେବାକୁ ମୋହନ ସରକାର ବିଚାର କରିଛନ୍ତି। ହେଲେ ମୂଳ କଥା ହେଉଛି କେତେକ ଅଞ୍ଚଳରେ ଲୋକେ ନିଜ ହାତରୁ ଖର୍ଚ୍ଚ କରି ଭାଗବତ ଚୁଙ୍ଗା, କୁବ ଘର, ଖେଳପଡ଼ିଆ ଓ ବିଭିନ୍ନ ଦକିତ ସମାଜର ପ୍ରକଳ୍ପ ଭଳି ବିଭିନ୍ନ ଉନଟାକରଣ କାର୍ଯ୍ୟ କରିଛନ୍ତି

ଏବଂ କେତେକ ଅଧାପତ୍ତରିଆ ଅବସ୍ଥାରେ ରହିଛି। ୨୦୨୪ ଜୁନରେ ସରକାର ପରିବର୍ତ୍ତନ ହେବା ଯୋଗୁଏ ଉକ୍ତ ପ୍ରକଳ୍ପଗୁଡ଼ିକ ଶେଷ ହୋଇପାରିନାହିଁ। ସମ୍ପ୍ରତି ରାଜ୍ୟ ସରକାରଙ୍କ ନିଷ୍ପତ୍ତିକ୍ରମେ ଯେଉଁ ପ୍ରକଳ୍ପଗୁଡ଼ିକ ଟେଣ୍ଡର ହୋଇ କାର୍ଯ୍ୟାଦେଶ ବ୍ୟବନ କରାଯାଇଛି ତାହା ଚାଲୁ ରହିବ, ଅବଶିଷ୍ଟ ପ୍ରକଳ୍ପଗୁଡ଼ିକ ସମ୍ପୂର୍ଣ୍ଣ ଭାବେ ବାତିଲ ହେବ। ଏହି ନ୍ୟାୟରେ ଏବେ ରାଜ୍ୟରେ ସମୁଦାୟ ୨୬୫୦ ପ୍ରକଳ୍ପ ବାତିଲ ହୋଇଥିବାବେଳେ ଏ ବାବଦକୁ ୧୫୦କୋଟି ଟଙ୍କାର କାମକୁ ବନ୍ଦ କରାଯାଇଛି। ତେବେ ୨୦୨୩–୨୪ ଆର୍ଥିକବର୍ଷ ଲାଗି ପୂର୍ବ ସରକାରଙ୍କ ପକ୍ଷରୁ ଘୋଷଣା ହୋଇଥିବା ପ୍ରକଳ୍ପ ମଧ୍ୟରୁ ପ୍ରାୟ ୧୯୦୦ଟି ପ୍ରକଳ୍ପକୁ ବାତିଲ କରାଯାଇଛି, ଯାହାର କି ପ୍ରକଳ୍ପ ମୂଲ୍ୟ ପ୍ରାୟ ୧୧୦କୋଟି ଟଙ୍କା ହେବ। ଖୋର୍ଦ୍ଧାରେ ୩୨୦ଟି ପ୍ରକଳ୍ପ ବାତିଲ ହୋଇଛି, ଯାହାର ମୂଲ୍ୟ ୧୯କୋଟିରୁ ଅଧିକ ହେବ ବୋଲି ଜଣାଯାଇଛି। ଏହାକୁ ନେଇ ଏବେ ରାଜନୈତିକ ବୟାନବାଜି ଜୋର ଧରିଛି।

ମରିବୁ ପଛେ, ...

ଯୋଗଦେଇ ନାଲକୋର ମନଗଢ଼ା କଥାରେ ନ ପଡ଼ି ନିଜ ନିଜ ମଧ୍ୟରେ ଏକତା ବଜାୟ ରଖିବା ଉପରେ ମତ ଦେଇଥିଲେ। ସ



GOVERNMENT OF INDIA

MINISTRY OF ENVIRONMENT
FOREST AND CLIMATE CHANGE

(Issued by the State Environment Impact Assessment Authority (SEIAA), ODISHA)

Dated: 22.08.2025

To,

Sri. Debendra Kumar Nanda, CVO & Land Officer
M/s. Odisha Mining Corporation Ltd.
OMC House, Post Box No. 34, Bhubaneswar,
Adjacent to Odisha Legislative Assembly,
Dist- Khordha, PIN-751001
parivesh@odishamining.in



Subject: Grant of prior Environmental Clearance (EC) to the proposed Mining Project under the provisions of EIA Notification 2006-regarding Sir/Madam,

This is in reference to your application submitted to SEIAA ,Odisha vide proposal number SIA/OR/MIN/529528/2025 dated 20/03/2025 for grant of prior Environmental Clearance (EC) to the project Enhancement in Production capacity of Iron Ore from 0.328 million TPA to 0.995 million TPA from Tiringpahar Iron Ore Mine (ML Area – 79.30 Ha.) along with two proposed integrated mobile crushing and screening plant of 200 TPH & 250 TPH in addition to one existing integrated mobile crushing and screening plant of 200 TPH capacity located in Village - Kundrupani, Tahasil-Barbil, District- Keonjhar under the provision of the EIA Notification 2006-and as amended thereof.

2. The particulars of the proposal are as below :

- (i) EC Identification No. EC25B0000OR5895696N
(ii) File No. 529528/32-MINB1/03-2025
(iii) Clearance Type Fresh EC
(iv) Category B1
(v) Project/Activity Included Schedule No. 1(a) Mining of minerals

Expansion of Iron Ore Production capacity from 0.328 million TPA to 0.995 million TPA of Tiringpahar Iron Ore Mine (ML Area – 79.30 Ha) of M/s.Odisha Mining Corporation Limited along with two proposed integrated mobile crushing and screening plant of 200 TPH & 250 TPH in addition to one existing integrated mobile crushing and screening plant of 200 TPH capacity at Village - Kundrupani, Tehsil: Barbil, District: Keonjhar, Odisha.

- (vii) Location of Project (District, State) Village- Kundrupani, Tahasil- Barbil, District- Keonjhar
(viii) Issuing Authority SEIAA, Odisha
(ix) Applicability of General Conditions No

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A, B and C)/ EIA & EMP Report, Application for EC were submitted to the SEIAA, Odisha for an appraisal by the State Level Expert Appraisal Committee (SEAC) under the provision of EIA notification 2006 and its subsequent amendments thereto.

4. The above-mentioned proposal has been considered for EC by SEAC in its meeting held on 17.06.2025. The minutes of the meeting and all the project documents as submitted by project proponent are available on Parivesh portal which can be accessed from the Parivesh portal by scanning the QR Code above.

5. The details of the project along with the salient features of the project as submitted by the project proponent in Form-1(Part A, B and C)/ EIA & EMP Report and as presented before SEAC are annexed to this EC as Annexure- 2.

6. The SEAC, after detailed deliberations made by the Project Proponent and the EIA Consultant, in its meeting held on 17.06.2025 under the provisions of EIA Notification 2006 and its subsequent amendments, recommended for grant of Environmental Clearance , stipulating various conditions.

7. The matter was again examined in the State Environment Impact Assessment Authority (SEIAA), Odisha in its 228th meeting held on 12.08.2025, recommendation of SEAC, clarification submitted by PP and in accordancewith the EIA Notification, 2006 and further amendments thereto. After detailed deliberations in the matter, the Authority decided to grant Environmental Clearance (EC) withs tandard and specific condition as recommended by SEAC for an enhanced production capacity of Iron Ore from 0.328 MTPA to 0.995 MTPA valid upto the lease period of 23.08.2034.

8. Environmental Clearance (EC) is granted to the project valid upto the lease period of 23.08.2034 under the provisions of EIA Notification No. S.O. 1533 (E) dated the 14th September, 2006 of the Government of India inthe erstwhile Ministry of Environment and Forests, as amended from time to time for proposed Enhancement in Production capacity of Iron Ore from 0.328 million TPA to 0.995 million TPA from Tiringpahar Iron Ore Mine (ML Area – 79.30 Ha.) along with two proposed integrated mobile crushing and screening plant of 200 TPH &250 TPH in addition to one existing integrated mobile crushing and screening plant of 200 TPH capacity located in Village-Kundrupani,Tahasil-Barbil, District-Keonjhar M/s. Odisha Mining Corporation Ltd." with the following stipulations, environmental conditions and safeguards as given in Annexure- 1.

9. The Validity of EC shall be upto the lease period i.e. 23.08.2034.

10. The SEIAA, Odisha reserves the right to alter /modify the above conditions or stipulate any further condition in the interest of environment protection.

11. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/ consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.

12. The PP is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.

13. This issue with an approval of the Competent Authority.

Copy To:

1. Joint Secretary (IA Division), Ministry of Environment, Forests and Climate Change Govt. of India, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110003 for information.
2. Additional Chief Secretary, Forests & Environment Dept., Government of Odisha for information.
3. Additional Secretary to Govt, Steel & Mines Department, Government of Odisha for Information and necessary action.
4. Member Secretary, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-8, Bhubaneswar for Information and necessary action.
5. Regional Officer, Integrated Regional Office (IRO), Ministry of Environment & Forests, A/3, Chandrasekharpur, Bhubaneswar for Information and necessary action.
6. Regional Director, CGWA, South Eastern Region, Bhujal Bhawan, Khandagiri, Bhubaneswar, PIN-751030 for Information and necessary action.
7. The Director of Mines, Odisha, Bhubaneswar for information and necessary action.
8. Collector & DM, Keonjhar, District-Keonhar/DDM Joda for Information and necessary action.
9. Guard file for record/Website/Parivesh Portal.

Annexure 1

Specific EC Conditions for (Mining Of Minerals)

1. Specific Condition

S. No.	EC Conditions
1.1	a) The proponent shall utilize different grades of iron ore (ROM) and waste generated according to IBM guidelines. b) PP shall carryout vetting of Traffic Study through working professors of any reputed institutions. The traffic study report shall be submitted to RO of Ministry as a part of six-monthly compliance report. c) The proponent shall carryout compensatory afforestation for the project site. d) The proponent shall adopt additional measures for dust suppression. e) To reduce the dependency on ground water and Kundra nala, the PP shall construct drainage and rainwater harvesting structures of appropriate dimensions within the lease at appropriate locations, based on a scientific study, and utilize the same to meet the water demand of the mine during non- monsoon season. f) The lessee shall take adequate safeguard measures to ensure the free flow of the nearby tributaries/nallahs if any. g) The EC is limited to secondary crushing and screening operations (dry process) as per approved mining plan. Under no circumstances, the lessee shall carry out any beneficiation activity (wet process) of low grade ore. h) All the ores (45-55) and +55 grades shall be used and ores & rejects shall be transported as per approved mining plan for their use. Only temporary stacks shall be operated. The mine shall avoid segregation & generation of fines and flow of silt during rainy session. i) Green processes like Controlled drilling, Environment friendly blasting, safe transportation and conveying, silt-management shall be followed as per guidelines. j) The PP shall install a wheel washing system at the exit point of the mine.

Standard EC Conditions for (Mining of minerals)

1. Statutory Compliance

S. No.	EC Conditions
1.1	This Environmental Clearance (EC) is subject to orders/judgment of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, Common Cause Conditions as may be applicable.
1.2	The Project proponent complies with all the statutory requirements and judgment of Hon'ble Supreme Court dated 2nd August, 2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Ors before commencing the mining operations,if applicable to the project.
1.3	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.4	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation)Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
1.5	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of draw/ of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
1.6	The Project Proponent shall follow the mitigation measures provided in MoEFCC's Office Memorandum No. Z-11013/57/2014-IA, II (M), dated 29th October, 2014, titled 'Impact of mining activities on Habitations-Issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
1.7	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
1.8	A copy of EC letter will be marked to concerned Panchayat / local NGO etc. if any, from whom suggestion / representation has been received while processing the proposal. State Pollution Control Board/Committee shall be responsible for display of this EC letter at its Regional office, District Industries Centre and Collector's office/ Tehsildar's Office for 30 days.
1.9	The Project Authorities should widely advertise about the grant of this EC letter by printing thesame in at least two local newspapers, one of which shall be in vernacular language of theconcerned area. The advertisement shall be done within 7 days of the issue of the clearance letter mentioning that the instant project has been accorded EC and copy of the EC letter is available with the State Pollution Control Board/Committee and web site of the Ministry of Environment, Forest and Climate Change (www.parivesh.nic.in). A copy of the advertisement may be forwarded to the concerned Regional Office of MoEFCC,Gol for compliance and record.
1.10	The Project Proponent shall inform the MoEF&CC for any change in ownership of the mininglease. In case there is any change in ownership or mining lease is transferred. PP needs to apply for transfer of EC as per provisions of the para 11 of EIA Notification, 2006 as amended from time to time.

2.

S. No.	EC Conditions
2.1	The Project Proponent shall carry out plantation/afforestation in backfilled and reclaimed area of mining lease, around water body, along the roadsides, in community areas etc. by planting thenerative species in consultation with the State Forest Department/ Agriculture Department/ Rural development department/ Tribal Welfare Department/ Gram Panchayat such that only those species be selected which are of use to the local people. The CPCB guidelines in this respect shall also be adhered. The density of the trees should be around 2500 saplings per Hectare. Adequate budgetary provision shall be made for protection and care of trees.
2.2	The Project Proponent shall make necessary alternative arrangements for livestock feed by developing grazing land with a view to compensate those areas which are coming within the mine lease. The development of such grazing land shall be done in consultation with the State Government. In this regard, Project Proponent should essentially implement the directions of the Hon'ble Supreme Court with regard to acquisition of grazing land. The sparse trees on such grazing ground, which provide mid-day shelter from the scorching sun, should be scrupulously guarded/ protected against felling and plantation of such trees should be promoted.

3. Air Quality Monitoring And Preservation

S. No.	EC Conditions
3.1	The Project Proponent shall install a minimum of 1 (one) online Ambient Air Quality Monitoring Stations in downwind direction to monitor critical parameters, relevant for mining operations. Monitoring of critical parameters, relevant for mining operations, of air pollution viz. PM10,PM2.5, NO2; CO and SO2 etc. as per the methodology mentioned in NAAQS Notification No. B29016/20/90/PC/II, dated 18.11.2009 covering the aspects of transportation and use of heavy machinery in the impact zone shall be done periodically as per CPCB guidelines. The ambient air quality shall also be monitored at prominent places like office building, canteen etc. as per the site condition to ascertain the exposure characteristics at specific places. The above data shall be digitally displayed within 03 months in front of the main gate of the mine site
3.2	Effective safeguard measures for prevention of dust generation and subsequent suppression (like regular water sprinkling, metallad road construction etc.) shall be carried out in areas prone to air pollution wherein high levels of PM10 and PM2.5 are evident such as haul road, loading and unloading point and transfer points. The Fugitive dust emissions from all sources shall be regularly controlled by installation of required equipments/ machineries and preventive maintenance. Use of suitable water-soluble chemical dust suppressing agents may be explored for better effectiveness of dust control system. It shall be ensured that air pollution level conform to the standards prescribed by the MoEFCC/ Central Pollution Control Board.
3.3	The project proponent use leak proof trucks/dumpers carrying ore and other raw materials and cover them with tarpaulin.
3.4	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed fugitive emission standards.

3.5	The project proponent shall monitor fugitive emissions in the ML area at least once in every quarter through labs recognised under Environment (Protection) Act, 1986. The project proponent shall carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g., PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the ML area atleast at four locations (one within and three outside the plant area at angle of 120 each), covering upwind and downwind directions.
-----	---

4. Water Quality Monitoring And Preservation

S. No.	EC Conditions
4.1	The Project Proponent shall undertake regular monitoring of natural water course/ water resources/ springs and perennial nallahs existing/ flowing in and around the mine lease including upstream and downstream. Sufficient number of gullies shall be provided at appropriate places within the leasefor management of water. The parameters to be monitored shall include their water quality vis-à-vis suitability for usage as per CPCB criteria and flow rate. It shall be ensured that no obstructionand/or alteration be made to water bodies during mining operations without justification and prior approval of MoEFCC. The monitoring of water courses/ bodies existing in lease area shall becarried out four times in a year viz. pre- monsoon (April May), monsoon (August), post-monsoon (November) and winter (January) and the record of monitored data may be sent regularly to SEIAA,SPCB and the Regional Office,of MoEF & CC, Central Ground Water Authority and Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board. Clearly showing the trend analysis on six-monthly basis.
4.2	Quality of polluted water generated from mining operations which include Chemical Oxygen Demand (COD) in mines run-off, acid mine drainage and metal contamination in runoff shall be monitored along with Total Suspended Solids (TDS), Dissolved Oxygen (DO), pH and Total Suspended Solids (TSS). The monitored data shall be uploaded on the website of the company as well as displayed at the project site in public domain, on a display board, at a suitable location near the main gate of the Company. The circular No. J- 20012/1/2006-IA.II (M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change may also be referred in this regard.
4.3	Project Proponent shall plan, develop and implement rainwater harvesting measures on long term basis to augment ground water resources in the area in consultation with Central Ground Water Board/ State Groundwater Department. A report on amount of water recharged needs to be submitted to Regional Office MoEFCC annually.
4.4	Industrial waste water (workshop and waste water from the mine) should be properly collected and treated so as to conform to the notified standards prescribed from time to time. The standards shall beprescribedthroughConsenttoOperate(CTO) issuedbyconcernedStatePollutionControlBoard (SPCB). The workshop effluent shall be treated after its initial passage through Oil and grease trap.
4.5	The water balance/water auditing shall be carried out and measure for reducing the consumption of water shall be taken up and reported to the Regional Office of the MoEF&CC and State Pollution Control Board/Committee.
4.6	Incase, immediate mining scheme envisages intersection of ground water table, then Environmental Clearance shall become operational only after receiving formal clearance from CGWA. In case, mining operation involves intersection of ground water table at a later stage, then PP shall ensure that prior approval from CGWA and SEIAA is in place before such mining operations. The permission for intersection of ground water table shall essentially be based on detailed hydrogeological study of the area.
4.7	Project Proponent shall regularly monitor and maintain records w.r.t. ground water level and quality in and around the mine lease by establishing a network of existing wells as well as new piezo-meter installations during the mining operation in consultation with Central Ground Water Authority/State Ground Water Department. The Report on changes in Ground water level and quality shall be submitted on six-monthly basis to the Regional Office of the Ministry, CGWA and State Groundwater Department / State Pollution Control Board.
4.8	SewageTreatment Plant shall be provided for treatment of domestic waste water to meet the prescribed standards.
4.9	De-silting of agricultural lands in buffer zone and beyond including nearby Nalas/rivers perennially periodically and perpetually caused due to wash up of minerals/OB/dumps shall be done as per SOP submitted. Retaining wall shall be constructed to ensure that no silt after wash up is escaped from the core / buffer zone of the mines.

5. Noise And Vibration Monitoring And Prevention

S. No.	EC Conditions
5.1	The peak particle velocity at 500m distance or within the nearest habitation, which ever is closer shall be monitored periodically as per applicable DGMS guidelines.
5.2	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day/night hours.
5.3	The Project Proponent shall take measures for control of noise levels below 85 dBA in the work environment. The workers engaged in operations of HEMM, etc. should be provided with ear plugs /muffs. All personnel including laborers working in dusty areas shall be provided with protective respiratory devices along with adequate training, awareness and information on safety and health aspects. The PP shall be held responsible in case it has been found that workers/ personals/ laborers are working without personal protective equipment.

6. Mining Plan

S. No.	EC Conditions
6.1	The Project Proponent shall adhere to approved mining plan, inter alia, including, total excavation (quantum of mineral, waste, over burden, inter burden and top soil etc.); mining technology, lease area; scope of working (method of mining, overburden & dump management, O.B & dump mining, mineral transportation mode, ultimate depth of mining, concurrent reclamation and reclamation at mine closure, land-use of the mine lease area at various stages of mining scheme as well as at the end-of-life, etc.)
6.2	The land-use of the mine lease area at various stages of mining scheme as well as at the end-of-life shall be governed as per the approved Mining Plan. The excavation vis-à-vis backfilling in the mine lease area and corresponding afforestation to be raised in the reclaimed area shall be governed as per approved mining plan. PP shall ensure the monitoring and management of rehabilitated areas until the vegetation becomes self-sustaining. The compliance status shall be submitted half-yearly to the MoEFCC and its concerned Regional Office.
6.3	The project proponent shall obtain permission from DGMS under 106(2b) to carry out blasting operation within the lease area, if applicable.

7. Energy Conservation Measures

S. No.	EC Conditions
7.1	Provide LED lights in their offices and common areas.

8. Waste Management

S. No.	EC Conditions
8.1	The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.

9. Land Reclamation

S. No.	EC Conditions
9.1	The slope of dumps shall be vegetated in scientific manner with suitable native species to maintain the slope stability, prevent erosion and surface run off. The selection of local species regulates local climatic parameters and help in adaptation of plant species to the microclimate. The gullies formed on slopes should be adequately taken care of as it impacts the overall stability of dumps. The dump mass should be consolidated with the help of dozer/ compactors thereby ensuring proper filling/ leveling of dump mass. In critical areas, use of geo textiles/ geo-membranes / clay liners / Bentonite etc. shall be undertaken for stabilization of the dump.
9.2	Catch drains, settling tanks and siltation ponds of appropriate size shall be constructed around the mine working, mineral yards and Top Soil/OB/Waste dumps to prevent run off of water and flow of sediments directly into the water bodies (Nallah/ River/ Pond etc.). The collected water should be utilized for watering the mine area, roads, green belt development, plantation etc. The drains/ sedimentation sumps etc. shall be de-silted regularly, particularly after monsoon season, and maintained properly.
9.3	Check dams of appropriate size, gradient and length shall be constructed around mine pit and OB dumps to prevent storm run-off and sediment flow into adjoining water bodies. A safety margin of 50% shall be kept for designing of sump structures over and above peak rainfall (based on 50 years data) and maximum discharge in the mine and its adjoining area which shall also help in providing adequate retention time period thereby allowing proper settling of sediments/ silt material. The sedimentation pits/ sumps shall be constructed at the corners of the garland drains.
9.4	The Overburden (O.B.), waste and topsoil generated during the mining operations shall be stacked at earmarked OB dump site(s) only and it should not be kept active for a long period of time. The physical parameters of the OB / waste dumps / topsoil dump like height, width and angle of slope shall be governed as per the approved Mining Plan and the guidelines/circulars issued by D.G.M.S. The topsoil shall be used for land reclamation and plantation.
9.5	The reject/waste generated during the mining operations shall be stacked at earmarked waste dump site(s) only. The physical parameters of the waste dumps like height, width and angle of slope shall be governed as per the approved Mining Plan as per the guidelines/circulars issued by DGMS w.r.t. safety in mining operations shall be strictly adhered to maintain the stability of waste dumps.
9.6	The Project Proponent shall carry out slope stability study in case the dump height is more than 60 meters. The slope stability report shall be submitted to concerned regional office of MoEF & CC, Govt. of India, Bhubaneswar as well as SEIAA, Odisha.

10. Green Belt And Emp

S. No.	EC Conditions
10.1	The PP shall plant "Ek Ped Maa Ke Naam" and the plantation shall be carried out in the earmarked greenbelt area as proposed in EMP as a part of tree plantation campaign and the details of the same shall be uploaded in the MeriLiFE Portal (https://merilife.nic.in).
10.2	The Project Proponent shall develop greenbelt in 7.5m wide safety zone all along the mine lease boundary as per the guidelines of CPCB in order to arrest pollution emanating from mining operations within the lease. The whole Green belt shall be developed within first 5 years starting from windward side of the active mining area. The development of greenbelt shall be governed as per the EC granted by the SEIAA irrespective of the stipulation made in approved mine plan.
10.3	The Project Proponent shall make the actual count on the saplings planted and its survival rate andin case of failure of achievement of 95% survival rate, action plan for achieving the target survival rate shall be submitted to the Ministry's Regional Office.
10.4	The Project Proponent needs to complete the entire peripheral plantation under green belt, safety barrier plantation and gap plantation within three years from the start of mining operations. The PP should plant quality sampling of appropriate height of native and fruit bearing species. Plantation shall be undertaken in consultation with the State Forest Dept. PP needs to undertake the adequate bench plantation and on the terrace of the waste dumps to prevent the soil erosion.

11. Transportation

S. No.	EC Conditions
11.1	The Main haulage road within the mine lease should be provided with a permanent water sprinkling arrangement for dust suppression. Other roads within the mine lease should be wetted regularly with tanker-mounted water sprinkling system. The other areas of dust generation like crushing zone, material transfer points, material yards etc. should invariably be provided with dust suppression arrangements. The air pollution control equipments like bag filters, vacuum suction hoods, dry fogging system etc. shall be installed at Crushers, belt-conveyors and other areas prone to air pollution. The belt conveyor should be fully covered to avoid generation of dust while transportation. PP shall take necessary measures to avoid generation of fugitive dust emissions.
11.2	No Transportation of the minerals shall be allowed in case of roads passing through villages/habitations. In such cases, PP shall construct a 'bypass' road for the purpose of transportation of the minerals leaving an adequate gap (say at least 200 meters) so that the adverse impact of sound and dust along with chances of accidents could be mitigated. All costs resulting from widening and strengthening of existing public road network shall be borne by the PP in consultation with nodal State Govt. Department. Transportation of minerals through road movement in case of existing village/ rural roads shall be allowed in consultation with nodal State Govt. Department only after required strengthening such that the carrying capacity of roads is increased to handle the traffic load. The pollution due to transportation load on the environment will be effectively controlled and water sprinkling will also be done regularly. Vehicular emissions shall be kept under control and regularly monitored. Project should obtain Pollution Under Control (PUC) certificate for all the vehicles from authorized pollution testing centers. [If applicable in case of road transport]
11.3	The proponent shall comply all the specific conditions as recommended by CSIR-NEERI on carrying capacity study (as applicable) in time bound manner as proposed.

12. Public Hearing And Human Health Issues

S. No.	EC Conditions
12.1	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
12.2	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
12.3	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
12.4	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
12.5	Project Proponent shall make provision for the housing for workers/labors or shall construct labor camps within/outside (company owned land) with necessary basic infrastructure/ facilities like fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche for kids etc. The housing may be provided in the form of temporary structures which can be removed after the completion of the project related infrastructure. The domestic waste water should be treated with STP in order to avoid contamination of underground water.
12.6	The activities proposed in action plan prepared for addressing the issues raised during the Public Hearing shall be completed as per the budgetary provisions mentioned in the action plan and within the stipulated time frame. The status report on implementation of action plan shall be submitted to the concerned Regional Office of the Ministry along with District Administration.

13. Corporate Environmental Responsibility

S. No.	EC Conditions
13.1	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
13.2	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
13.3	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
13.4	The Project Proponent shall submit the time- bound action plan to the concerned regional office of the Ministry within 6 months from the date of issuance of environmental clearance for undertaking the activities committed during public consultation by the project proponent and as discussed by the EAC, in terms of the provisions of the MoEF&CC Office Memorandum No.22-65/2017-IA.III dated 30 September, 2020. The action plan shall be implemented within three years of commencement of the project.



13.5	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the RO,MoEF&CC as a part of six-monthly report.
13.6	Project Proponent shall keep the funds earmarked for environmental protection measures in a separate account and refrain from diverting the same for other purposes. The Year wise expenditure of such funds should be reported to the RO, Bhubaneswar, MoEF&CC, OSPCB & SEIAA, Odisha.

14. Miscellaneous	
S. No.	EC Conditions
14.1	The Project Authorities should inform to the Regional Office regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
14.2	The Project Proponent shall submit six monthly compliance reports on the status of the implementation of the stipulated environmental safeguards to the SEIAA & the concerned Regional Office,MoEF & CC, Central Pollution Control Board and State Pollution Control Board.The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the Odisha State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective to the concerned Regional Office(RO),Bhubaneswar of MoEF&CC,Gol, Central Pollution Control Board and State Pollution Control Board.
14.3	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/ High Court and any other Court of Law relating to the subject matter.
14.4	A separate 'Environmental Management Cell' with suitable qualified manpower should be set-up under the control of a Senior Executive. The Senior Executive shall directly report to Head of the Organization. Adequate number of qualified Environmental Scientists and Mining Engineers shall be appointed and submit a report to RO, MoEF&CC.The proponent shall submit/upload six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, Govt. of India, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
14.5	It shall be mandatory for the project management to submit six (06) monthly compliance reports on post environmental monitoring in respect of the stipulated terms and conditions in this Environmental Clearance to the State Environment Impact Assessment Authority (SEIAA),Odisha, SPCB & Integrated Regional Office of the Ministry of Environment & Forest, Odisha, the respective Zonal Office of CPCB and the SPCB in soft copies on 1st June and 1st December of each calendar year. No hard copy of six (06) monthly compliance reports shall be accepted by SEIAA. The proponent shall upload the compliance report including results of monitored data, as applicable in the Parivesh website of the Ministry for monitoring of EC Conditions, failing which EC is liable to be revoked. The concerned Regional Office of the MoEF&CC shall randomly monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the MoEF&CC officer(s) by furnishing the requisite data / information / monitoring reports.
14.6	The SEIAA, Odisha may revoke or suspend the EC, if implementation of any of the above stipulated conditions is not satisfactory. The SEIAA, Odisha reserves the right to alter /modify the above conditions or stipulate any further condition in the interest of environment protection.
14.7	Concealing factual data failure to comply with any or submission of false/ fabricated data and of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
14.8	The Project Proponent shall prepare digital map (land use & land cover) of the entire lease area once in five years purpose of monitoring land use pattern and submit a report to concerned Regional Office of the MoEF&CC.
14.9	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
14.10	The concerned Regional Office of the MoEF&CC shall randomly monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the MoEF&CC officer(s) by furnishing the requisite data / information / monitoring reports.

Annexure-2

- 1. Proposal in Brief:**
- The highlights of the proposal as ascertained from the application submitted by the PP and observations of SEIAA are given as under:
- i) This is a proposal of M/s Odisha Mining Corporation Ltd. for Environmental Clearance for Enhancement in Production capacity of Iron Ore from 0.328 million TPA to 0.995 million TPA from Tiringpahar Iron Ore Mine (ML Area – 79.30 Ha.) along with two proposed integrated mobile crushing and screening plant of 200 TPH & 250 TPH in addition to one existing integrated mobile crushing and screening plant of 200 TPH capacity located in Village - Kundrupani, Tahasil- Barbil, District- Keonjhar filed by Sri. Debendra Kumar Nanda, CVO & Land Officer.
- ii) Category: As per EIA Notification, 14th September 2006 followed by subsequent amendments, the proposed project falls under Category B1 – schedule 1 (a) – Mining of Minerals.
- iii) Details of TOR, if issued earlier: Terms of Reference (ToR), was issued by SEIAA, Odisha vide letter no. 469341/11-MIN/04-2024 dated 30.05.2024.
- iv) Public hearing details: Public Hearing for the Tiringpahar Iron Ore mine was held on 07.01.2025 at 11:00 am at Mouza-Baitarani Reserved Forest area (2 kms from village Kundrupani, 01 km from village Kahndbandh and about 20 m from Delpahar Basti) in accordance with the Ministry of Environment, Forest & Climate Change, Govt of India, EIA Notification No. S.O. -1533 (E) dated 14.09.2006. Major issues raised during hearing were employment, health facilities and socio - economic development. A budget of Rs. 4.73 Crore has been earmarked under EMP to address the issues & suggestions raised during public hearing.
- v) They have applied for expansion in Iron Ore Production capacity from 0.328 million TPA to 0.995 million TPA. The Iron ore mined out after the proposed expansion in Tiringpahar Iron Ore Mine will be directly sent to Steel Plants and Sponge Iron Plants and sold to prospective buyers.
- vi) Location and connectivity: The proposed project is located at Village- Kundrupani, Tehsil: Barbil, District: Keonjhar, Odisha. The Mine site is located between latitude: 21°57'47.91952" to 21°58'09.12042" N and longitude 85°22'22.02792" to 85°23'14.45259" E. Core and buffer zone of the project is falls under the Survey of India Topo sheet No. F45N5 (73G/5), F45H8 (73F/8). Total mining lease is Forest Land. The mine is connected by SH-28 (~4.1 km in East Direction) and NH-520 (Earlier known as NH 215) (~6.0 km in NW direction). The nearest railway station is Jharoli Railway Station (~ 3.6 km in ESE Direction) and nearest airport is Veer Surendra Sai Airport, Jharsuguda (~135 km in West direction). Baitarani Reserved Forest falls within the Lease area. Nearest water body from mine site is Suna Nadi which is adjacent in West direction. Nearest Habitation present in the study area is Khandabandh which is 1.08 km in SE direction from the mine site. There is no WLS /National Park / Biosphere Reserve / Elephant Corridor / Tiger Reserve / Eco-Sensitive area within 10 km radius area of the proposed site.
- vii) Mining lease: Mining lease granted for iron ore in favour of M/s. OMC Ltd. over an area of 85.469 ha. in Village Tiringpahar of Keonjhar District. Subsequently, the lease area was revised to 135.466 ha. and communicated to the Collector, Keonjhar. The lease deed was executed on 24.08.1964 for 30 years. The Lease was expired on 24.08.1994. First Renewal of mining lease was filled on 11.08.1993 over the reduced area of 79.30 ha. and granted for twenty years w.e.f. 24.08.1994 to 23.08.2014. Second renewal of mining lease filled over 79.30 ha. on 23.07.2013 within stipulated time and the same was pending as on date of commencement of MMOR Amendment Act, 2015 i.e. 12.01.2015. In terms of Rule 3 (1) of Mineral (Mining by Govt. Company) Rules 2015, the period of original lease is deemed to be granted for 50 years i.e. from 24.08.1964 to 23.08.2014 over the reduced area of 79.30 ha. and in terms of Rule-3 (2) the period of said mining lease is further extended from 24.08.2014 to 23.08.2034. Period of validity of the said lease over 79.30ha. is extended and deemed to have been extended on 27.07.2019 up to 23.08.2034 subject to all terms and conditions of the said lease. Supplementary lease deed executed on 27.07.2019 and registered on 30.07.2019 and the lease is valid up to 23.08.2034

viii) List of Statutory Clearances obtained earlier –

S. No.	Particular	Letter No & Date
Forest Clearance (FC)		
1.	Diversion of 79.30 hectares of Reserved Forest Land in Tiringpahar Mining lease area in favour of Orissa Mining Corporation Ltd.	Stage I: 8-54/2010-FC dated 27 Sept., 2017 Stage II: 8-54/2010-FC dated 18 April, 2019
2.	The process for settlement of rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 has been completed for the entire forest area over 79.30 ha. situated in Baitarani R.F. within Tiringpahar Iron Ore Mines of OMC Ltd. and Certificate for the same was issued by Collector, Keonjhar.	19.04.2010 & 22.02.2017
Existing Environmental Clearances (EC)		
1.	Environmental Clearance for 0.328 million TPA Iron Ore Production in favour of M/s. Orissa Mining Corporation Limited.	J-11015/1082/2007-IA. II (M) dated 12.06.2008
2.	Certification of six-monthly EC Compliance by IRO, MoEF & CC (IRO visit on 12.02.2025)	101-434/25/EPE/188 dated 20.02.2025 101-434/25/EPE/183 dated 20.02.2025
3.	Action taken report for partial complied condition submitted to IRO, MoEF & CC	428/OMC/TIOM/2025 dated 11.03.2025
Existing Consent for Establish (CTE)		
1.	CTE for 0.328 million TPA Iron Ore Production Capacity under section 25 of Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 in favour of M/s. Orissa Mining Corporation Limited.	8948/IND-II-CTE-6334 dated 29.08.2019
Existing Consent for Operation (CTO)		
1.	CTO for 0.328 million TPA Iron Ore Production Capacity under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 in favour of M/s. Orissa Mining Corporation Limited.	110248/IND-I-CON-6333 dated 16.11.2020 Valid Up to 31.03.2025
Past Production Details		
1.	Past Production Details authenticated by Deputy Director of Mines, Joda Circle, Dist.- Keonjhar.	Memo No. 1384 Mines, dated 20.04.2024
Others NOZCs/Permissions		
1.	NOC regarding 125 KLD Surface water abstraction from Kundra Nala has been obtained from Water Resource Department, Odisha.	Letter No. 17569/WR dated 24.07.2017
2.	The NOC for 55 KLD ground water withdrawal has been obtained from Central Ground Water Authority (CGWA).	Letter no. CGWA/NOC/MIN/REN /1/2023/ 7591 dated 11.04.2023 which will be Valid up to 17.02.2025
3.	NOC for deep hole Blasting under Regulation 106(2)(b) of the Metalliferous Mine Regulations, 1961	Letter No. 330899/ SEZ[Chaibasa Region]/Perm[2020]4260 dated 19.03.2020.
4.	Hazardous Waste Authorization in favour of Tiringpahar Iron Ore Mine of M/s. Odisha Mining Corporation Ltd.	IND-IV-HW-1366/12171 dt. 16.08.2021 and valid upto 31.03.2025.
5.	Authentication of flora & fauna for core zone and buffer zone.	List of Flora Fauna has been authenticated by DFO, Keonjhar Division Odisha.
6.	Authentication of Location Map showing RF, PF National Park, Wildlife sanctuaries, wildlife corridors, Tiger reserves within 10 km radius study area.	Location Map showing RF, PF National Park, Wildlife sanctuaries, wildlife corridors, Tiger reserves within 10 km radius study area have been authenticated by DFO, Keonjhar-Division.
7.	Approval of site-specific wildlife conservation plan for schedule I Species	Memo No 3052/1WC(C)SSP-304/2011 dated 05.05.2011
8.	Request letter submitted to Forest Department for any additional interventions required as per standard TOR granted	4218/OMC/F&E/2024 dated 11.03.2024
9.	Approval of Review of Mining Plan with Progressive Mine Closure Plan has been approved by IBM, Bhubaneswar.	Letter no. MCDRMiL0FE/28/ 2023-BBSIBM_RO_BBS dated 06.02.2024.

ix) Summary of the products generated by the project:				
Units`	Products and by Products	Existing	Additional	After expansion
Iron Ore	Product	0.328 MTPA	0.667 MTPA	0.995 MTPA

- x) Mining Plan Details:
- a) Method of Mining: The existing mining operations are being done by Semi Mechanized- Opencast mining method with shovel dumper combination. After Expansion the mining operations will be done by Fully Mechanized Opencast mining method for mining IronOre. All operations of mining are being/ will be done by deployment of Heavy Earth Moving Machineries for deep hole drilling and blasting, excavation, loading & transport. Various mining activities such as drilling, blasting, loading, hauling and transportation is being/ will be so conducted as to ensure maximum mineral conservation and minimum environmental degradation.
- b) Mining Machineries:

S. No.	Equipment (Type)	Equipment (Make)	Capacity	Equipment (in Nos.)
Transportation and Hauling Equipment				
1.	Hauling Equipment	Volvo/Bharat/Benz/Eicher/Tata/Prima	19 m³	09
2.	Hauling Equipment	Volvo/Bharat/Benz/Eicher/Tata/Prima	14 m³	15
Excavator and Loading Equipment				
1.	Excavator	Tata Hitachi/Volvo/Kobelco/Sany	3.5 m³	04
2.	Excavator	Tata Hitachi/Volvo/Kobelco/Sany	2.5 m³	05
S. No.	Equipment (Type)	Equipment (Make)	Capacity	Equipment (in Nos.)
Dozer				
1.	Dozer	BEML/Komatsu/CASE/L&T	324 HP	02
Drilling Details				
1.	Drill Machine (115 – 150m Diameter of hole)	INDUS/Atlas/Copco/Sandvik	20 tons	01
Auxiliary Mining Equipment				
1.	Excavator	Tata Hitachi/ Volvo/ Kobelco/ Sany	0.90-1.60 m³	02/03
2.	Loader	SDLG/LIUGONG/Volvo/Tata	2.50/2.0 m³	04/03
3.	Loader	HM2021 / Volvo	1.5/2 m³	02/02
4.	Diesel Tanker	TATA / Eicher	12.0 KL	02
5.	Water Sprinkler	TATA/Eicher	14.0 KL	02
6.	Motor Grader	Hidromek / LIUGONG	140 HP	01
7.	Explosive Van	TATAP/ Ashok Leyland	2 Tons	01
8.	Pick up van	Mahindra	-	03
9.	Rock Breaker	Atlascopco / Volvo	120 ton	01
10.	Portable Tower lights	Kirloskar / Catterpillar /AtlasCopco / Koel	-	10

11	Mobile Service Van	TATA/ Eicher	-	01
12	Crane	Volvo/L&T/Hitachi	100 ton	01
13	Tyre Handler	-	-	01
Crusher				
1	Integrated Mobile Crushing & screening Plant	Metso/Puzzlona/Sandvic/Extac / Thyssenkrup	200 TPH	02
2	Integrated Mobile Crushing & screening Plant	Metso/Puzzlona/Sandvic/Extac / Thyssenkrup	250H	01

- c) Transport Type: The CLO & fines generated from the processing plants will be loaded by loader of 0.9-2.0 cum capacity & transported through 25 / 35-ton tipper dumpers to the respective stockyards. Further, CLO andfines will be sent to end users byroad and rail
- d) Bench:BenchHeightwillbe6mandBenchWidthwillbe10m(Minimum)
- e) Ground water depth: 530 to 628 mAMSL (20 to 39 m bgl) during Pre monsoon: and 532to 631 m AMSL (20 to 35 m bgl) during Post monsoon.
- f) Details of drilling and blasting: Drilling is to be carried out by deploying 150mm dia. drill equipped with in-built arrangement of water sprinkling for dust suppression and separate dust extraction system and this arrangement makes operations practically dust free.

The drill parameter:

- Average Spacing = 3.0m
- Average Burden = 2.5m
- Average Depth = 6.60m

Blasting operations are proposed to be carried out in a controlled manner to minimize fly rock generation for safety of civil structures, machines and nearby habitation and agricultural fields under the supervision of Assistant Manager (Mines), well versed with technique to ensure quality and safety in the work. Due care is taken to keep the ground vibrations and air blast levelsto the lowestpossible limits to avoid any adverse impactson the surrounding environment. Ultimate pit slope will be 37°. Various types of explosives such as ANFO, slurry, emulsion etc. are being/ will be used for blasting. NONEL detonating fuse is being/ will be used since multi row system of firing is being/ will be carried to reduce the ground vibration, noise, fly rock etc. due to blasting.

Sr. No.	Particular	Details
1.	Spacing of Holes (m)	3
2.	Burden of Holes (m)	2.5
3.	Number of rows	3
4.	Yield per hole in waste (m3)	45
5.	Frequency of Blasting in a week	3 times
6.	Maximum no. of holes blasted in a round	100
7.	Charge Per Hole (in Kg)	18
8.	Charge Per Round (in Kg)	1800
9.	Explosive Requirement per Month (in Kg)	21600
10.	Powder factor in Development/waste (in Tonne/Kg)	4.375
11.	Depth of Hole (in m)	6

- g) Number of top soil dumps with area and capacity, no of waste /reject dump with area and capacity during the plan period and at the conceptual period, backfilling plan if any.

1	Top soil generation & Management	
A	Since inception of Mine	Total 6,650 tons of top soil has been generated which is being used for plantation and green belt development. No separate storage required.
B	During Plan Period	Total 22,233 tons of top soil will be generated which will be used for plantation and green belt development.
C	During conceptual Stage	Total 4,37,062 tons of top soil will be generated which will be used for plantation and green belt development.

2	Waste generation & Management					
A	Since Inception of Mine	Total 1.50 million tons of waste have been generated since inception of mine which has been dumped in temporary waste dump over an area of 13.78 ha up to 42 m height at their designated place as per below:				
		S. No.	Dump ID	Dump Status	Total Dump Quantity (T)	Area covered by Dump (Ha)
		1.	Temporary Waste Dump	Active	14,92,949.50	13.78

B	During Plan Period	Approx. 5.14 million tons of waste will be generated during plan period which will be dump in existing temporary waste dump over an area of 19.54 ha. at their designated place as per below:						
		S. No.	Year	Dump ID	Total Dump Quantity (T)	Proposed Area (ha.)	Height (m)	Existing Dump Location
		1.	2024-25	Temporary Waste Dump	636405	19.54	60	21°57'19.80" to 21°58'08.07" N 85°22'51.50" to 85°23'07.97" E
		2.	2025-26	Temporary Waste Dump	805490		60	21°57'19.80" to 21°58'08.07" N 85°22'51.50" to 85°23'07.97" E
		3.	2026-27	Temporary Waste Dump	801535		60	21°57'19.80" to 21°58'08.07" N 85°22'51.50" to 85°23'07.97" E
		4.	2027-28	Temporary Waste Dump	1434510		75	21°57'19.80" to 21°58'08.07" N 85°22'51.50" to 85°23'07.97" E
		5.	2028-29	Temporary Waste Dump	1461888.75		105	21°57'19.80" to 21°58'08.07" N 85°22'51.50" to 85°23'07.97" E
				Total	5139828.75	19.54		

- C During Conceptual Stage 37.975 million tonnes of waste will be generated which will be used in backfilling in the mining lease area.

- h) Details of crushers, /screen/beneficiation plant if any with capacity and numbers

Sl. No.	Type of Crusher	Capacity of Crusher (TPH)	Feed Size (mm)	Product Size (mm)
A. Existing Crusher				
1.	Jaw Crusher	200	Upto 400	<100
B. Proposed Crusher				
1.	Jaw Crusher	200	Upto 400	<100
2.	Jaw Crusher	250	Upto 400	<100

- xi) Land use as per mining plan at the end of plan period and at conceptual stage

S. No.	Type of land use	At present (Ha)	At the end of Plan Period (Ha.)	At the end of Conceptual Period (Ha.)
1	Area under mining	17.600	28.59	63.56
2	Storage of Top Soil	0.440	0.36	0.00
3	Waste Dump	14.260	19.44	0.00
4	Mineral Storage	5.170	6.42	4.921
5	Infrastructure (Workshop, Admin Building etc.)	2.06	3.07	1.70
6	Roads	2.59	3.23	2.07
7	Mineral Separation Plant (Crushing, Screening Unit & Slurry Pipeline)	0.800	1.05	0.00
8	Greenbelt	7.049	7.049	7.049
9	Undisturbed area	29.331	10.091	0.00
Total		79.30	79.30	79.30

- xii) Baseline study data –
- Time period- The baseline data were collected in core as well as buffer zone (10 km distance from the Mine Lease boundary) during Summer Season (March to May, 2024).

Parameter	Number of Locations	Description
Ambient Air Quality Monitoring	09	PM10 - 41.9 to 81.9 µg/m³ PM2.5 - 23.9 to 45.0 µg/m³ SO2 - 5.2 to 14.0 µg/m³ NO2 - 11.4 to 26.0 µg/m³
Noise Level Monitoring	09	Day Time - 50.9 to 58.1 Leq dB (A) Night Time - 41.4 to 44.2 Leq dB (A)
Surface water	03	pH - 7.4 to 7.47 Total hardness - 59.85 to 96.68 mg/l Total Dissolved Solid - 83 to 148 mg/l
Ground Water	08	pH - 6.96 to 7.91 Total hardness - 76.04 to 133.5 mg/l Total Dissolved Solid - 106 to 171 mg/l
Soil Sampling	08	pH - 6.58 to 6.96 Organic Matter - 0.45 % to 0.82 % Nitrogen - 210.08 to 272.15 kg/ha. Phosphorous - 12.83 to 51.72 kg/ha. Potassium - 195.67 to 380.96 kg/ha.

- xiii) Water requirement: Existing water requirement for the project is 125 KLD. Additional water requirement for the expansion project will be 126 KLD therefore, total water requirement after expansion will be 251 KLD (Fresh Water: 180 KLD, Recycled Water: 71 KLD), which is being/ will be met from the ground water sources like bore wells and hand pump which are already installed in mine lease and from surface water (Kundra Nala). NOC for 55 KLD ground water abstraction has been taken from CGWA vide letter no. CGWA/NOC/MIN/REN/1/2023/7591 dated 11.04.2023 which is valid up to 17.02.2025. Renewal of CGWA approval is in process. Furthermore, Permission for 125 KLD water by Kundra Nala from Water Resource Department, Odisha vide letter no. 17569/WR dated 24.07.2017.

- xiv) Waste water treatment: Domestic Waste water (44 KLD) generated from the office toilets will be used in Greenbelt plantation after treatment through sewage treatment plant. Waste water (18 KLD) generated after pit head bath will be used in Greenbelt plantation after treatment through sewage treatment plant. Waste water generated from the work shop (9 KLD) is being/will be used for Drilling & Spraying in mines after oil and grease separation.

- xv) Rain water harvesting details: This proposal is formining of mineral. Water collected in mined out area is being/will be utilized to fulfil the need of the project.

- xvi) Power requirement: Existing power requirement of the project is 0.528 MW and additional power requirement after expansion will be 0.222 MW; therefore, total power requirement after expansion in Iron Ore Production capacity will be 0.75 MW which will be sourced from Tata Power Northern Odisha Distribution Ltd.

- xvii) Solid Waste Generation and Management:

Particular	Since inception of Mine	Generation and management during Plan Period	Generation and management during Conceptual Period
Top Soil	Quantity: 6,650 tons Management: Used for plantation and green belt development. No separate storage required.	Quantity: 22,233 tons Management: Use in greenbelt and plantation.	Quantity: 4,37,062 million tons Management: Use in greenbelt and plantation, also for spreading over backfilled area
Waste	Quantity: 1.50 million tons Management: dumped in temporary waste dump over an area of 13.78 ha up to 42 m height	Quantity: 5.14 million tons Management: will be dump in existing temporary waste dump over an area of 19.54 ha	Quantity: 37.975 million tons Management: Backfilling in the mining lease area.

- xviii)Greenbelt: Total lease periphery is estimated as 3.99 km covering an area of ~5.498 ha. Out of which till now5.05 ha.has been coveredwith greenbelt.TotalArea comes under plantation will be 6.472 ha., out of which 1.551 ha. has been covered and remaining 4.921 ha. will be covered during life of mine. Furthermore, 63.56 ha. excavated areawill be covered with re-grassing. Local and fruit bearing species will be planted after consultation with local forest officer and as per CPCB guidelines are as Karanja, Sisso, Neem, Arjuna, Mango, Jamun, Panasha, Ghambhari etc.

- xix) Total employment: The total existing man power for the project is 81 person which will be 283 after expansion. Preference is being/ will be given to the locals as per their skill & eligibility.

- xx) Project cost: The estimated Project cost is Rs. 150 Crores. Cost for Environment Protection measures is Rs. 1.16 Crores (Capital) and Rs. 0.74 Crores (Recurring). Cost for Physical Target to address the issue raised during public hearing is Rs. 4.79 Crores.

S. No.	Particulars	Budget (Rs. in Crore)
1.	Project Cost	150
2.		1.16
3.	EMP Capital Cost	4.79
4.	Cost for Physical Target to address the issue raised during public hearing	1.25
Total		7.20
5.	Recurring Cost for EMP (Per annum)	0.74

- xxi) Environment Consultant: The Environment consultant M/s JM EnviroNet Pvt. Ltd., Gurugram along with the proponent made a presentation on the proposal before the Committee on 21.04.2025

- xxii) The SEAC in its meeting held on dated 21.04.2025 decided to take decision after receipt of the following information and documents from the proponent. The proponent has furnished the compliance and the SEAC verified the same as follows:

କାପୋରେଶନ-୧୧ ବିଜୟୀ,
ମିଡ଼ିଆ ଟିଏ୍ ରନର ଅଫ୍

ବନ୍ଧୁତ୍ବପୂର୍ଣ୍ଣ କ୍ରିକେଟ୍ ଗ୍ୟାଟ୍

ବ୍ରହ୍ମପୁର, ୨୪।୮
(ସ୍ଥିତି ରଞ୍ଜିତ ମହାଲିକ)

ନିଖିଳ ଭାରତ ସ୍ୱାୟତ୍ତ ଶାସନ ଦିବସ ଉପଲକ୍ଷେ ରବିବାର ଖଲ୍ଲିକୋଟ ବିଶ୍ୱବିଦ୍ୟାଳୟ ପରିସରରେ ବୁଦ୍ଧପୁର ମହାନଗର ନିଗମ (ବିଜ୍ଞାନପଦ୍ମ) ପକ୍ଷରୁ କ୍ରୀକେଟ ମ୍ୟାଚ ହୋଇଯାଇଛି । ଏହାକୁ ବିଜ୍ଞାନପଦ୍ମ ମେୟର ସଂପନ୍ନିତ ଦଳଙ୍କ ଓ କମିଶନର ପ୍ରାପ୍ତମଣି ଅରବିନ୍ଦ ରାଜକିର୍ତ୍ତେ ଉଦଘାଟନ କରିଥିଲେ । କର୍ପୋରେଶନ-୧୧ ଓ ମିଡିଆ-୧୧ ମଧ୍ୟରେ ହୋଇଥିବା ଏହି ବନ୍ଧୁତ୍ୱପୂର୍ଣ୍ଣ ମ୍ୟାଚରେ କର୍ପୋରେଶନ-୧୧ ବିଜୟୀ ହୋଇଛି । କର୍ପୋରେଶନ ଟିମ ଟପ ଜିଟି ନିର୍ଦ୍ଧାରିତ ୧୫ ଓଭରରେ ୪ଟି ଉଇକେଟ ହରାଇ ୨୦୫ ସଂଗ୍ରହ କରିଥିଲା । ଏହା ବିପକ୍ଷରେ କମିଶନର ଟିମ ନିର୍ଦ୍ଧାରିତ ଓଭରରେ ୫ଟି ଉଇକେଟ ବିନିମୟରେ ୧୩୩ ରନ ସଂଗ୍ରହ କରି ରନର ଅଫ ହୋଇଛି । କମିଶନରଙ୍କୁ ମ୍ୟାନ ଅଫ ଦି ମ୍ୟାଚ ଭାବେ ଘୋଷଣା କରାଯାଇଥିଲା । ଏହି ଅବସରରେ ସହରକୁ ବୁଦ୍ଧ ସ୍ମରଣ ଭାବେ ଗଡ଼ ତେଲିବା ପାଞ୍ଜି ଗଣମାଧ୍ୟମ ପ୍ରତିନିଧି, ବିଜ୍ଞାନପଦ୍ମ ମହାନଗରୀ ଓ କର୍ପୋରେଶନ ଶପଥ ନେଇଥିଲେ । ଅନ୍ୟମାନଙ୍କ ମଧ୍ୟରେ ଡେପୁଟି ମେୟର ବିବେକ ରେଞ୍ଜୀ, ଡେପୁଟି କମିଶନର କଲ୍ୟାଣୀ ସଂପନ୍ନିତା ଦେବୀ, ଆଶୀର୍ବାଦ ପରିଡ଼ା, ପ୍ରେସ କ୍ଲବ ସଭାପତି ଅଶୋକ ବ୍ରହ୍ମା, ସଂପାଦକ ପ୍ରହ୍ଲାଦ ସାହୁ, ମୃଣୁ ସଂପାଦକ ଗୋପାଳ ଚନ୍ଦ୍ରାୟ ଓ କୋଷାଧ୍ୟକ୍ଷ ଶ୍ରୀବ ନାରାୟଣ ପଣ୍ଡାଙ୍କ ସମେତ କ୍ଲବର ବହୁ ସଦସ୍ୟ ପରିଚାଳନାରେ ସହଯୋଗ କରିଥିଲେ ।

ପୂର୍ବ ପୃଷ୍ଠାର ଅବଶିଷ୍ଟାଂଶ

ଭୁବନେଶ୍ୱର, ସୋମବାର,
୨୫ ଅଗଷ୍ଟ, ୨୦୨୫

ହରିପୁର ଜିଲ୍ଲାରେ ପୁନର୍ଜୀବିତ ହେଲା ସମୁଦ୍ର ଘାସ

ଭୁବନେଶ୍ୱର, ୨୪।୮ (ବନ୍ଦନା ସେଠୀ)

ବୈଦିକ୍ୟମୟ ସାପୁରିକ ପରିସଂସ୍ଥା ମଧ୍ୟରେ
ସ୍ଥଳ ଆଲୋଚିତ ଉଦ୍ଭିଦ ସମୂହ ମଧ୍ୟରେ
ସମୁଦ୍ର ଘାସ (ସିଂ ଗ୍ରାସ) ବା ସାପୁରିକ
ସମୂହର ଉଦ୍ଭିଦ ଅନ୍ୟତମ । ଓଡ଼ିଶାରେ
କେବଳ ଚିଲିକା ହ୍ରଦରେ ସି ଗ୍ରାସ ରହିଛି ।
ସାମୁଦ୍ର ଗୋପାଳପୁର ପ୍ରାନ୍ତର ସମୁଦ୍ରତୀର
ଜିଲା ଗୋପାଳପୁର ନିକଟରେ ସାମୁଦ୍ରକୁ
ସଂଯୋଗ ହୋଇଥିବା ହରିପୁର ଦ୍ଵିକ
ତଟରେ ଏହା ବେଶ୍ୟାପାଇଥିଲା । ଏ ଜଳ
ଜଞ୍ଚିଆନ୍ ଜର୍ଜଳ ଅଫ୍ ଜିଓ ମେରାଇନ୍
ସାଜଗୁଣେ ସାପୁରିକ ଜାବ ବୈଜ୍ଞାନିକ ଡ.
ବେଗିଶି ମହାପାତ୍ରଙ୍କୁ ଗବେଷଣାକାରୀ
ପ୍ରସନ୍ନ ପ୍ରକାଶ ପାଇବା ପରେ
ଲୋକଲୋଚନକୁ ଆସିଥିଲା । ହେଲେ

ପ୍ରଦୁଷଣ ହ୍ରାସ, ଉପକୂଳ ସୁରକ୍ଷା ଦେଉଥିବା ଦାବିକଲେ ବୈଜ୍ଞାନିକ



କେତେକ କାରଣରୁ ୨୦୧୧ ମଧ୍ୟରେ ଏହି
ବିରଳ ପିତ୍ରାଂ ହରିତରାଜ ଶୁକ ଚତୁର୍ଥ ପୁରୁଷ
ନୟ ହୋଇଯାଇଥିଲା। ତେବେ ବିଲ୍ଲୁପୁ
ହୋଇଯାଇଥିବା ଏହି ପିତ୍ରାଂ ୨୦୧୧ରେ
୨୦୧୧ ବୋଲି ଲକ୍ଷ୍ୟକର ଏମିତିରେ
ପୁନର୍ନାମିତ ହୋଇଥିବା ବେଝାଯାଇଛି।
ଏହା ଜଣାପଡିବା ପରେ ଡ. ମହାପାତ୍ର
ଓ ଡ. ସଙ୍ଗାତା ମିଶ୍ର ଏହା ଉପରେ ଅଧିକ
ଗବେଷଣା ଆରମ୍ଭ କରିଥିଲେ। ତେବେ
ତାହା ସେହି ବିରଳ ହୋଇଯାଇଛି ଓ ଉଲ୍ଲିକ
ପ୍ରକାରି ପିତ୍ରାଂ ପ୍ରାଣିତ ହୋଇଛି।
ହୋଇଛି ବୋଲି ନ୍ୟାଶନାଲ ଏକାଡେମୀ
ସାଇନ୍ସ ଲେଟର୍ସରେ ପ୍ରକାଶିତ ଆଉ

ଏକ ଗବେଷଣା ପ୍ରବନ୍ଧରେ ଉଲ୍ଲେଖ କରାଯାଇଛି ।

ଡ. ମହାପାତ୍ର କହିଛନ୍ତି, ସି ଗ୍ରାସକୁ
ଇକୋସିଷ୍ଟମ ଇଞ୍ଜିନିୟର କୁହାଯାଏ ।
ଏମାନେ ପରିବେଶ ସହିତ ସମନ୍ୱୟ

ରକ୍ଷା କରି ପ୍ରଦୃଶଣ ହ୍ରାସ କରିଛି ଏଥିସହ ସମୁଦ୍ର ତଳର ବାଲି, ତରଙ୍ଗ ଓ ପାଣିର ଗତିକୁ ସ୍ଥିର କରିବାରେ ସହାୟକକରି ହୁଅନ୍ତି। ଫଳରେ ଉପକୂଳର ସୁରକ୍ଷା ହୋଇଥାଏ। ୨୦୧୨ ମନୋରୁ ବିଭିନ୍ନ ପୂର୍ବଦେଶୀୟ, ପ୍ରତ୍ୟକ୍ଷ, ନୌକାମାନଙ୍କ ପରି ମାନବୀୟ କାର୍ଯ୍ୟକଳାପ ପାଇଁ ପ୍ରାର୍ଥନା କରି ସି ଗ୍ରାସ୍ତୁରିକ ଲୁପ୍ତ ହୋଇଯାଇଥିଲା। ଡେବେ କୋଭିଡ୍ ଲକ୍ଷ୍ମୀଭୀଷଣ ସମୟରେ କରାଯାଇଥିବା ପର୍ଯ୍ୟବେକ୍ଷଣରେ ମାନବୀୟ କାର୍ଯ୍ୟକଳାପ ଯଥା ପର୍ଯ୍ୟବେକ୍ଷଣ ହୋଇଥିବା, ନୌକା ତଳାଳି ପ୍ରାୟ ବନ୍ଧ ହେବାକୁ ହରିପୁର ଜିଲ୍ଲାରେ ସମୁଦ୍ର ଘାସର ଶାଖାବଳି ପୁନର୍ବିନ୍ଦୁ ଦେଖିବାକୁ ମିଳିଛି। ଏହା ଉପରେ ଅଧିକ ଗବେଷଣା ଆବଶ୍ୟକ ବୋଲି ସେ ମତ ଦେଇଛନ୍ତି।

ବ୍ରହ୍ମପୁର, ୨୪।୮ (ସୁବାସ ଚନ୍ଦ୍ର ପାଢ଼ୀ)

ବ୍ରହ୍ମପୁର-ବିବାହସହି ରାତ୍ରୀ କାଳୁଆ ଛକ ନିକଟ ଏକ ପେଟ୍ରୋଲ ପମ୍ପ ସନ୍ଧ୍ୟାରେ ରବିବାର ପୂର୍ଣ୍ଣହରେ ଏକ ବାଇକକୁ ଅନଳ ଏକ ବାଇକ ପଛପଟୁ ଧକ୍କା ଦେବାରୁ ଜଣେ ମୁଦିକଙ୍କ ମୃତ୍ୟୁ ହିତ୍‌ପୁରୀ ବେଳେ ଜଣେ ଆରୋହୀ ରୁହୁଡ଼ିର ଅହତ ହୋଇଛନ୍ତି । ମୃତକ ହେଲେ ବ୍ରହ୍ମପୁର ପାଣିଗ୍ରାହୀପେଷର ଦାନେଶ ବିଷୋୟା(୨୨) । ସନ୍ଧ୍ୟାରେ ବାଇକ ପଛରେ ବସିଥିବା ପାଟପୁର ଥାନା ଅନ୍ତର୍ଗତ କଲାଭାପଦର ଗ୍ରାମର ବିଜୟ ପଟ୍ଟନାୟକ(୬୨)ଙ୍କ ଏମ୍‌ବୁଲେନ୍ସ ମେଡିକାଲରେ ଚିକିତ୍ସା ନାହିଁ । ଏ ନେଇ ସଦର ଥାନାରେ ଗ.ମା.୭/୨୫ ରେ ମାମଲା ରୁଜୁ ହୋଇଛି । ପୋଲିସ ଦୁର୍ଘଟଣାଗ୍ରସ୍ତ ୨ ବାଇକକୁ ଜବତ କରି ତଦନ୍ତ ଜାରି ରଖିଛି ।

ଯୁବାମୁଖାପ୍ରାଣରେ, ରବିବାର ବିଜୟ ଓ ତାଙ୍କର
 ଜଣେ ସହଯୋଗୀ ବାଇଜ(ନଂ.ଓଡି ୦୧
 ଏବି ୦୨୦୯)ରେ କଲ୍ୟାଣପଦର ଗ୍ରାମରୁ
 ବୁଢ଼ାପୁର ଅଭିମୁଖେ ଆସୁଥିଲେ । ବିଜୟ
 ପଛରେ ବସିଥିବା ବେଳେ ତାଙ୍କ ସହଯୋଗୀ
 ବାଇଜ ଚଳାଉଥିଲେ । ଉଭୟ କାଳୁଆ
 ଛକ ପେଟ୍ରୋଲ ପମ୍ପରୁ ଯାଇ ବାଇଜଙ୍କର
 ପେଟ୍ରୋଲ ପମ୍ପଜବା ପରେ ମୁଖ୍ୟମାରାସ୍ତ୍ରକୁ
 ବାହାରିଥିଲେ । ଏହି ସମୟରେ ଦିନପହଞ୍ଚି
 ପରୁ ଦାନେଶ ବାଇଜ(ନଂ.ଓଡି ୩୩
 ଖାଇ ୯୨୯୩)ରେ ବୁଡ଼ ଗତିରେ ଆସି
 ବିଜୟ ବସିଥିବା ବାଇଜକୁ ପଛପରୁ ଧକ୍କା
 ଦେଇଥିଲେ । ଦୁର୍ଘଟଣା ଯୋଗୁ ଉଭୟ
 ବାଇଜରେ ବସିଥିବା ୩ ଜଣ ଛିଟିକି ହୋଇ
 ରାସ୍ତାରେ ପଡିଥିଲେ । ସମସ୍ତଙ୍କୁ ଉଦ୍ଧାର
 କରି ଏମେବିରେ ନେବାଲାଗେ ଭବିଷ୍ୟ
 କରାଯାଇଥିଲା । ସେଠାରେ ଦାନେଶଙ୍କୁ
 ତାଙ୍କର ମୃତ ଘୋଷଣା କରିଥିଲେ

ବ୍ରହ୍ମପୁର ପୋଲିସର ସାହକେଲ ଯାତ୍ରା ସଂସ୍କୃତିକୁ ପ୍ରଥମ ଭାଷାର ମାନ୍ୟତା ଦିଆଯାଉ



ବ୍ରହ୍ମପୁର/ଗୋପାଳପୁର, ୨୪ ।
(ସୁବାସ ଚନ୍ଦ୍ର ପାଢ଼ୀ/ ନବୀନ ରାଜ ଆଚାରୀ)

ପିଠା ଲଢ଼ିଆ ଅଭିଯାନ

ଗୋପାଳପୁରକୁ ଯାଇ ସେଠାରୁ ପୁଣି
ଥରେ କାର୍ଯ୍ୟାଳୟକୁ ଫେରିଥିଲେ । ଏହି
ଅବସରରେ ଫିଟନେସ କି ଡୋଜ, ଅଧା
ଘଣ୍ଟେ ରୋଜ ବାର୍ଦ୍ଧା ଦିଆଯାଇଥିଲା ।
କେନ୍ଦ୍ର କ୍ରୀଡ଼ା ଓ ଯୁବ ବ୍ୟାପାର
ମନ୍ତ୍ରଣାଳୟ ପକ୍ଷରୁ ଖେଳୋ ଇଣ୍ଡିଆ

ଜରିଆରେ ସମସ୍ତ ରାଜ୍ୟ ପୋଲିସକୁ
 ଫିଟ ଲକ୍ଷିଆ ଅଭିଯାନ ଅନୁସାରେ
 ରବିବାରରେ ସାଇକେଲ ଯାତ୍ରା କରିବାକୁ
 ପରାମର୍ଶ ଦିଆଯାଇଛି । ସେହିଜୁଳମରେ
 ରାଜ୍ୟ ପୋଲିସ ମହାନିର୍ଦ୍ଦେଶକଙ୍କ ପକ୍ଷରୁ
 ଜିଲା ପୋଲିସ ମୁଖ୍ୟାଳୟକୁ ସାଇକେଲ
 ଯାତ୍ରା କରିବାକୁ କୁହାଯାଇଥିବା
 ଏସପି ସୂଚନା ଦେଇଛନ୍ତି ।

ବ୍ରହ୍ମପୁର, ୨୪।୮ (ସ୍ୱତି ରଞ୍ଜନ ମହାଲିକ)

ଉତ୍କଳ ସଂସ୍କୃତ ଶିକ୍ଷକ ମହାସଂଘ ଜିଲ୍ଲା ଶାଖା ପକ୍ଷରୁ ରବିବାର ଗୋସାଥୀ ଡୁଆରୀ ସରକାର ଶିଶୁ ବିଦ୍ୟାମନ୍ଦିର ପରିସରରେ ବିଶ୍ୱ ସଂସ୍କୃତ ଦିବସ ପାଳିତ ହୋଇଯାଇଛି । ସଂଘର ଦୀର୍ଘ ଯାତାପତ ପଣ୍ଡିତ ପ୍ରଫୁଲ୍ଲ କୁମାର ବାଗ ଅଧକ୍ଷତା କରିଥିଲେ । କୁମ୍ଭା ଅତିଥି ରୂପେ ବିନପହଞ୍ଚି ବିଧାୟକ ଡ. ସିଦ୍ଧାନ୍ତ ମହାପାତ୍ର ଯୋଗ ଦେଇଥିଲେ । ସଂସ୍କୃତ ଶେଷତ୍ତା ମାତୃଭାଷାର ଜନନୀ । ସଂସ୍କୃତକୁ ମାଧ୍ୟମିକ ଓ ଉଚ୍ଚ ମାଧ୍ୟମିକ ବିଦ୍ୟାଳୟରେ ତୃତୀୟ ବ୍ଲକ୍ସ, ପ୍ରଥମ ଭାଷାର ମାନ୍ୟତା ପ୍ରଦାନ ବିଚାର କରାଯିବ ଉଦ୍ଦିଷ୍ଟ ପ୍ରୟାସ କରିବ । ଆବଶ୍ୟକ ବୋଲି ସେହି କହିଥିଲେ । ବିନାୟକ ଆଚାର୍ଯ୍ୟ ସରକାର

ମହାବିଦ୍ୟାଳୟ ଓଡ଼ିଆ ଭାଷା ସାହିତ୍ୟ
ବିଭାଗ ମୁଖ୍ୟ ଚଥା ପୂର୍ବତନ ଆଞ୍ଚଳିକ
ଶିକ୍ଷା ନିର୍ଦ୍ଦେଶକଙ୍କ ଉପ ନିର୍ଦ୍ଦେଶକ ଡ.
କୁଳମଣି ଓଡ଼ିଆ ମୁଦ୍ରଣବନ୍ଧୁ ରୂପେ ଯୋଗ
ଦେଇ ସଂସ୍କୃତ ବିଶ୍ୱର ସକଳ ବିଦ୍ୟା, ଜ୍ଞାନ
ଓ ପ୍ରଜ୍ଞାର ଆଶା ବୋଲି କହିଥିଲେ।
ତିରୁପତି କେନ୍ଦ୍ରୀୟ ସଂସ୍କୃତ ବିଶ୍ୱବିଦ୍ୟାଳୟ
ରୁପେ ପ୍ରଫେସର ସତ୍ୟ ନାରାୟଣ
ଆଚାର୍ଯ୍ୟ ସାରସ୍ୱତ ବନ୍ଧୁ ରୂପେ ଯୋଗ
ଦେଇଥିଲେ। ସଂସ୍କୃତ ପ୍ରତି ସରକାରଙ୍କ
ଅବହେଳା ଓଡ଼ିଆ ଭାଷାର ଛୁଟି ବିପନ୍ନ
କରାଇପାରେ ବୋଲି ସେ କହିଥିଲେ।
ଅନ୍ୟତମ ସାରସ୍ୱତ ବନ୍ଧୁ ଭାବେ ସଂସ୍କୃତ
ଭାରତୀ ପୂର୍ବ କ୍ଷେତ୍ର ପ୍ରମୁଖ ପଣ୍ଡିତ
ନୃସିଂହ ଚରଣ ପଣ୍ଡା ସଂସ୍କୃତ ଭାଷାର
ବିବିଧ ଉପଯୋଗିତା ସଂପର୍କରେ
କହିଥିଲେ। ସମ୍ମାନିତ ଅତିଥି ରୂପେ

ଜିଲା ଅତିରିକ୍ତ ଶିକ୍ଷାଧିକାରୀ ଓ ପ୍ରଭାବୀ ମହାପାତ୍ର ଯୋଗ ଦେଇଥିଲେ। ସେ ସଂସ୍କୃତ ଭାଷାର ଗତିଧର୍ମୀ ମହନାୟକ ସଂପର୍କରେ କହିଥିଲେ। ଅନ୍ୟତମ ଅତିଥି ରୂପେ ରାମାଧ୍ୟାୟ ସଂସ୍କୃତ ଶିକ୍ଷାବିଦ୍ୟାଳୟ ଅଧ୍ୟକ୍ଷ ଡ. ହରିହର ଦାସ ମହାରାଜ ଓ ସରସ୍ବତୀ ଶିଶୁ ବିଦ୍ୟା ମନ୍ଦିର ସଂପାଦକ ପ୍ରକାଶ ଚନ୍ଦ୍ର ପାତ୍ର ଯୋଗ ଦେଇଥିଲେ। ଏହି ଅବସରରେ ୧୨ ଜଣ ଅବସରପ୍ରାପ୍ତ ସଂସ୍କୃତ ଶିକ୍ଷକଙ୍କୁ ସମର୍ଜିତ କରାଯାଇଥିଲା। ଏଥିସହ ଜିଲ୍ଲା ସ୍ତରୀୟ ସଂସ୍କୃତ ବକ୍ସରୀ ଓ ଶ୍ଳୋକାବଳି ପ୍ରତିଯୋଗିତାରେ ଜୁଟା ପ୍ରତିଯୋଗୀଙ୍କୁ ପୁରସ୍କୃତ କରାଯାଇଥିଲା। ଲକ୍ଷେଦର ଶିଶୁପଞ୍ଚାଳ, ପ୍ରମୋଦ କୁମାର ପଣ୍ଡା ଓ ଡ. ସମୀର କୁମାର ବେହେରା ପରିଚାଳନାରେ ସହଯୋଗ କରିଥିଲେ।

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent	Views of SEAC
1.	Revised KML file indicating the lease area.	The KML file indicating the lease area has been uploaded on the PARIVESH Portal. An image showing the mining lease area is enclosed as Annexure 1, and the same KML file can be seen from the provided link enclosed as Annexure 2.	Complied
2.	Traffic study vetted by Institute of repute.	Duly vetted Traffic study report is enclosed herewith as Annexure 3.	Traffic study report is attached as Annexure 3. The Traffic study report has been vetted by Retired Professor of Civil Engineering Deptt., OUTR, Bhubaneswar (Formerly CET Bhubaneswar) PP shall carryout vetting of Traffic Study through working professors of any reputed institutions.
3.	Comparative statement of analysis of the parking plaza provided before and after expansion.	A parking plaza covering approximately 1.0 ha exists within the Tiringpahar Iron Ore Mines of OMC Ltd., capable of accommodating up to 200 trucks at a time (considering each truck to be 10 meters in length and 3 meters in width). Currently, an average of 60 trucks are used daily for iron ore transportation. For an annual production of 0.995 MTPA of iron ore over 300 working days, approximately 166 trucks will be required per day for dispatch. As mining and dispatch operations are conducted round the clock, 166 trucks can be accommodated within the parking plaza in a single day. Geotagged photographs of the parking plaza, including basic amenities, are enclosed as Annexure 4.	-
4.	Compliance status of the Action taken report for the noncompliances found during the inspection of Regional Offices, Bhubaneswar, MoEF&CC.	Compliance status of the action taken report for the non-compliances observed during the inspection by the Regional Office, Bhubaneswar, MoEF&CC, is enclosed as Annexure 5.	Compliance status of the action taken report is enclosed as Annexure 5.
5.	Status of installation of Air Pollution Control measures adopted as MoEF&CC inspection report showed discrepancies in functioning of the APC devices.	As per the observations by RO, MoEFCC, Govt. of India, water sprinkling being carried out in the crushing and screening unit was observed to be insufficient. Hence for compliance to the same, additional five numbers of spray nozzles at the conveyor belt of the crushing screening units have been installed. Geo-tagged photographs of the same are shown at Annexure 6. Further, an additional 14 KL mobile water tanker has been deployed to improve dust control across haul roads and operational zones. To assess the effectiveness of the corrective action, fugitive dust monitoring was conducted in April 2025 by a NABL accredited laboratory. The maximum recorded PM concentration was 547 µg/m³, which is well within the prescribed limit of 1200 µg/m³.	Additional five numbers of spray nozzles at the conveyor belt of the crushing screening units have been installed and additional 14 KL mobile water tanker has been deployed to improve dust control across haul roads and operational zones. Geo-tagged Photographs attached as Annexure-6.
6.	Compliance status of the NEER/ recommendations.	The compliance report on CSIR-NEERI recommendations is enclosed as Annexure 7.	compliance report is enclosed as Annexure 7
7.	Concentration of Suspended Particulate Matter in the mine, near the lease boundary and various other location as check points.	The concentration of particulate matter (PM ₁₀ and PM2.5) in ambient air and fugitive emissions (particulate matter), has been monitored at various locations within the mine, near the lease boundary, and at designated checkpoints. The monitoring was conducted during the month of April 2025. A copy of the monitoring report is enclosed as Annexure 8.	Monitoring report is enclosed as Annexure 8
8.	Brief note on the management and handling of the Overburden dump.	The Review of Mining Plan for the financial years 2024–25 to 2028–29 has been approved by IBM, Bhubaneswar, vide Document No: MCDR-MIFLOFE/28/2023-BBSIBM_RO_BBS, dated 06.02.2024. As per the approved Review of Mining Plan, the total waste generation during the plan period is 29,24,340 cum, which will be dumped over the existing temporary waste dump by maintaining a terrace height of 15 metres, a terrace width greater than the height, and a slope angle of less than 34°.	-

9. Specify the safe height of the dump to be taken. Submit Slope study report if done for expansion.

10. Earthen settling pond should be cleaned frequently. Detailed proposal to this effect to be submitted.

11. A short video showing installation and in working condition of Water sprinklers and all other pollution control measures including green area in the project site.

The maximum height of the temporary waste dump will be 105 metres, and the dump will advance laterally in the eastern direction. During the conceptual stage, the waste material from the temporary waste dump will be re-handled and backfilled into the mined-out area. Hence, no external waste dump will be present within the lease area during the conceptual stage. The scientific study on pit and dump slope stability has been carried out by the National Institute of Technology, Rourkela, Odisha. A copy of the study report is enclosed as Annexure-9. The proposed temporary waste dump section and conceptual backfilling section are enclosed as Annexure-10.

As per the approved Review of Mining Plan, the total waste generation during the plan period is 29,24,340 cum, which will be dumped over the existing temporary waste dump by maintaining a terrace height of 15 metres, a terrace width greater than the terrace height, and a slope angle of less than 34°. The maximum height of the temporary waste dump will be 105 metres, and the dump will advance laterally in the eastern direction. During the conceptual stage, the waste material from the temporary waste dump will be re-handled and backfilled into the mined-out area. Therefore, no external waste dump will be present within the lease area during the conceptual stage. A scientific study on pit and dump slope stability has been carried out by the National Institute of Technology, Rourkela, Odisha. A copy of the study report is enclosed as Annexure-9.

Earthen settling ponds are being cleaned periodically. The photographs showing the de-silting activities are enclosed as Annexure 11. In addition, OMC is following its Standard Operating Procedure (SOP) for the safe and efficient de-silting of the settling ponds. Records of de-siltation are being maintained from time to time. A copy of the SOP along with the desiltation record is enclosed as Annexures-12 and 13, respectively.

A short video showing the installation and operational status of water sprinklers, along with other pollution control measures including the plantation at the project site, can be seen from the provided link closed as Annexure-14.

2. Deliberation in SEAC meeting-The proposal was placed in SEAC meeting held on 17.06.2025 and considering the information furnished and the presentation made by the consultant M/s JM EnviroNet Pvt. Ltd., Gurugram along with the project proponent, the SEAC recommended for grant of Environmental Clearance with stipulated standard conditions along and following specific conditions.

- The proponent shall utilize different grades of iron ore (ROM) and waste generated according to IBM guidelines.
- PP shall carryout vetting of Traffic Study through working professors of any reputed institutions and copy to be submitted to SEIAA, Odisha within one month of issue of EC.
- The proponent shall carryout compensatory afforestation for the project site.
- The proponent shall adopt additional measures for dust suppression.
- To reduce the dependency on ground water and Kundra nala, the PP shall construct drainage and rainwater harvesting structures of appropriate dimensions within the lease at appropriate locations, based on a scientific study, and utilize the same to meet the water demand of the mine during non-monsoon season.
- The lessee shall take adequate safeguard measures to ensure the free flow of the nearby tributaries/nallahs if any.
- The EC is limited to secondary crushing and screening operations (dry process) as per approved mining plan. Under no circumstances, the lessee shall carry out any beneficiation activity (wet process) of low grade ore.
- All the ores (45-55) and +55 grades shall be used and ores & rejects shall be transported as per approved mining plan for their use. Only temporary stacks shall be operated. The mine shall avoid segregation & generation of fines and flow of silt during rainy session.
- Green processes like Controlled drilling, Environment friendly blasting, safe transportation and conveying, silt-management shall be followed as per guidelines.
- The PP shall install a wheel washing system at the exit point of the mine.

3. Deliberation in SEIAA Meeting:- The proposal was placed in the 218th meeting of SEIAA held on 11.07.2025 and after detailed deliberation, the Authority decided to seek information / documents from the PP on the following:

- The CCR submitted by RO, Bhubaneswar shows many non-compliance of EC Conditions which was issued by MoEF & CC, Govt. of India vide J- 11015/1082/2007-IA. II (M) dated 12.06.2008. The PP shall upload the final closure report of CCR from the Regional Officer, Bhubaneswar.
 - Now the PP has submitted their ADS / clarification raised by SEIAA for consideration.

4. Decision of Authority: Approved:-The proposal was placed in the 228th meeting of SEIAA held on 12.08.2025 for consideration of EC. After detailed deliberations in the matter, the Authority decided to grant Environmental Clearance (EC) with standard and specific condition as recommended by SEAC for an enhanced production capacity of Iron Ore from 0.328 MTPA to 0.995 MTPA valid upto the lease period of 23.08.2034.

The instant project has been accorded EC and copy of the EC letter is available with the State Pollution Control Board/Committee and website of the Ministry of Environment, Forest and Climate Change (www.parivesh.nic.in).

Signed by
K S Pradeep
Date: 22.08.2025
Reason: Verified and Signed

OIPR-30005/11/0248/2526

(କେରଳ)ଠାରେ ନୂତନ ଶୋ'ରୁମ୍ ସହ ବ୍ୟବସାୟକୁ ସମ୍ପ୍ରସାରିତ କରିଛି । ଏ ସମ୍ପର୍କରେ ଓବେନ ଇଲେକ୍ଟ୍ରିକ୍ସ ପ୍ରତିଷ୍ଠାତା ତଥା ସିଇଓ ମଧୁମିତା ଅଗ୍ରୱାଲ କହିଛନ୍ତି, ଓବେନ ଇଲେକ୍ଟ୍ରିକ୍ସ ୫୦ତମ ଡିଜିଟାଲ୍ ପରାମ୍ପରାୟ କରି ଆମେ ବେଶ୍ ଉତ୍ସାହିତ ଅଛୁ । ଏପରି କି ସମଗ୍ର ଭାରତରେ ଇଲେକ୍ଟ୍ରିକ୍ ତଳନମାତ୍ରା ବା ବୋଲିକ୍ରିଟ୍ସ ପଛନ୍ଧାଜାଏତା ଆମର ଏକ ଦୃଢ଼ ପଦକ୍ଷେପକୁ ଏହା ଦର୍ଶାଉଛି । ଓବେନ ଇଲେକ୍ଟ୍ରିକ୍ ଏକ ଭାରତୀୟ ଇଞ୍ଜିନିୟରିଂ, ଯାହା ନିଜେ ନିଜର ବ୍ୟାଚେରି, ମୋଟର, ଚାର୍ଜର ଓ ଭେହିକିଲ ନିୟନ୍ତ୍ରଣ ସ୍ଥଳିର ତିଆରି କରିଥାଏ । ଏହି କମ୍ପାନୀ ଭାରତରେ ବିଭିନ୍ନ ପରିସ୍ଥିତିରେ ଭଲ ଚାଲିଯାଉଥିବା ଆବେଶ ପ୍ରସ୍ତୁତ କରାଯାଇଛି କମ୍ପାନୀ ଚଳିତ ଆର୍ଥିକ ବର୍ଷ ଶେଷସୁଦ୍ଧା ବେଶ୍‌ଗଣ୍ୟାତା ଏଠାଠିକୁ ଖର୍ଚ୍ଚି ଚାଲୁ ଏବଂ ପୂର୍ବମୁଖ୍ୟତା ସେବାପରିଚାଳନା ବ୍ୟବସାୟକୁ

ମାନସିକତା ସକାରାତ୍ମକ ରହିଲେ...

ଯଦି ଆପଣଙ୍କର ମାନସିକତା ଅଧିକାଂଶ ସମୟ ସକାରାତ୍ମକ ରହିଲା ତେବେ ତାହାର ଏକ ଉପକାରୀ ଗୁଣ ଶରୀରକୁ ମିଳିଥାଏ। ଏହାଦ୍ୱାରା ହୃଦ୍‌ପିଣ୍ଡ ପୂର୍ବପେକ୍ଷା ଆହୁରି ସୁସ୍ଥ ରହିଥାଏ। ତେବେ ହାର୍ଟ କିପରି ସୁସ୍ଥ ରହିବ ସେ ବିଷୟରେ ଆମେ ସଚେତନ ହେବା ନିହାତି ଜରୁରୀ। ‘ସକାରାତ୍ମକ ମାନସିକତା’ ଏବଂ ‘ହୃଦ୍‌ପିଣ୍ଡ’ ବିଷୟରେ ଲଣ୍ଡନ ବିଶ୍ୱବିଦ୍ୟାଳୟର ବିଶେଷଜ୍ଞମାନେ ଏକ ସର୍ବେକ୍ଷ କରି ଏକଥା ଜାଣିପାରିଛନ୍ତି। ସେମାନଙ୍କ ପକ୍ଷରୁ ପ୍ରକାଶିତ ସର୍ବେକ୍ଷାରେ ଉଲ୍ଲେଖ କରାଯାଇଛି ଯେ ଯଦି ଜଣେ ବ୍ୟକ୍ତି ନିଜର ମାନସିକତାକୁ ଅଧିକାଂଶ ସମୟ ସକାରାତ୍ମକ ରଖିଛି, ତେବେ ତାଙ୍କର ହାର୍ଟ ଆହୁରି ସକ୍ରିୟ ଭାବେ କାର୍ଯ୍ୟ କରିବ। ଏହାର ଅନ୍ତର୍ଭୁକ୍ତ ବ୍ୟକ୍ତିମାନଙ୍କର ମାନସିକତାକୁ ତର୍କନା କରାଯାଇଥିଲା ଯେ, ଯେଉଁମାନଙ୍କର ମାନସିକତା ଅଧିକାଂଶ ସମୟ ସକାରାତ୍ମକ ରହୁଛି, ସେମାନଙ୍କର ହାର୍ଟ ଅଧିକ ସକ୍ରିୟ ଭାବରେ କାମ କରୁଛି। ତେଣୁ ଜଣେ ବ୍ୟକ୍ତି ଯେତେ ସମ୍ଭବ ନିଜକୁ ଗାପପୁସ୍ତ ରଖିବା ସହ ନିଜର ମାନସିକତାକୁ ସକାରାତ୍ମକ ରଖିବା ପାଇଁ ସେମାନେ ପରାମର୍ଶ ଦେଇଛନ୍ତି।



ଅତ୍ୟଧିକ ମିଠା ଖାଇବା ସ୍ମରଣଶକ୍ତିକୁ ପ୍ରଭାବିତ କରିପାରେ

ଅନେକେ ଲୋଭର ବଶବର୍ତ୍ତୀ ହୋଇ ଅଧିକ ପରିମାଣରେ ମିଠା ଖାଇବାକୁ ପସନ୍ଦ କରିଥାଆନ୍ତି। ଏହାର ସ୍ୱାଦ ହୁଏତ ମିଠା ହୋଇପାରେ, ହେଲେ ଏହାର ପରିମାଣ ଅଧିକ ହେଲେ ତାହା ଆମ ସ୍ମରଣ ଶକ୍ତିକୁ ପ୍ରଭାବିତ କରିବାର ଯଥେଷ୍ଟ ଆଶଙ୍କା ରହିଛି। ଏଭଳି ସତର୍କ ସୂଚନା ଦେଇଛନ୍ତି କାଲିଫର୍ନିଆ ବିଶ୍ୱବିଦ୍ୟାଳୟ ପୁଷ୍ଟିବିଜ୍ଞାନୀମାନେ। ‘ଅତ୍ୟଧିକ ମିଠା ଓ ସ୍ମରଣ ଶକ୍ତି’ ବିଷୟକୁ ନେଇ ହୋଇଥିବା ସର୍ବେକ୍ଷା ଏଭଳି ତଥ୍ୟ ମିଳିପାରିଛି। ଏହି ସିଦ୍ଧାନ୍ତରେ ଉପନୀତ ହେବା ପୂର୍ବରୁ ସେମାନେ କିଛି ବ୍ୟକ୍ତିଙ୍କୁ ସର୍ବେକ୍ଷା ପରିସରଭୁକ୍ତ କରିଥିଲେ। ସେମାନଙ୍କୁ ଦୁଇଟି ଗ୍ରୁପରେ ବିଭକ୍ତ କରି ଗୋଟିଏ ଗ୍ରୁପରେ ଥିବା ବ୍ୟକ୍ତିଙ୍କୁ ସାଧାରଣ ଭାବରେ ମିଠା ଖାଇବାକୁ ଏବଂ ଅନ୍ୟ ଗ୍ରୁପ ବ୍ୟକ୍ତିମାନଙ୍କୁ ମନଇଚ୍ଛା ମିଠା ଖାଇବାକୁ ପରାମର୍ଶ ଦେଇଥିଲେ। ଅପରପକ୍ଷରେ ନିର୍ଦ୍ଦିଷ୍ଟ ସମୟ ବ୍ୟବଧାନରେ ଏହାର କି ପ୍ରକାର ପ୍ରଭାବ ସେମାନଙ୍କର ସ୍ମରଣ ଶକ୍ତି ଉପରେ ପଡୁଛି ତାହାକୁ ତର୍କତର୍କ କରି ଅନୁଧ୍ୟାନ ମଧ୍ୟ କରିଥିଲେ। ଯେଉଁମାନେ ଆବଶ୍ୟକତାଠାରୁ ଅଧିକ ମିଠା ଖାଇଥିଲେ ସେମାନଙ୍କ ମଧ୍ୟରୁ ପ୍ରାୟ ୫୦ ପ୍ରତିଶତ ବ୍ୟକ୍ତିଙ୍କ ସ୍ମରଣଶକ୍ତିରେ ତାରତମ୍ୟ ଦେଖିବାକୁ ମିଳିଥିଲା।



ଖାଲି ପେଟରେ ଚା-କଫି ପିଉଥିଲେ...

ଚା’ ଓ କଫି ଅମ୍ଳାୟ ଅଂଶ ରହିଛି। ତେଣୁ ଖାଲିପେଟରେ ଏହାକୁ ପିଇଲେ ଶରୀରରେ ଅମ୍ଳ ଓ କ୍ଷାରର ସନ୍ତୁଳନ ବିପର୍ଯ୍ୟସ୍ତ ହୋଇପଡ଼େ। ସକାଳେ ପାକସ୍ଥଳୀ ଭିତରେ କୌଣସି ଖାଦ୍ୟ ନ ଥାଏ। ଫଳରେ ପାକସ୍ଥଳୀ ନରମ ଥାଏ। ସକାଳୁ ଖାଲି ପେଟରେ ଚା’ ପିଇଲେ ଝିଲ୍‌ ଉପରେ ପ୍ରତିକୂଳ ପ୍ରଭାବ ପଡେ ଏବଂ ଦୀର୍ଘକାଳିକ ପାକସ୍ଥଳୀ ପ୍ରଦାହ ବା କ୍ରନିକ ଗାଷ୍ଟ୍ରାଇଟିସ୍ ସମସ୍ୟା ସୃଷ୍ଟି ହୋଇଥାଏ। ଏହି କାରଣରୁ ଅତୁଟି ହୋଇ ଭୋକ ମରିଯାଇପାରେ। ବିଶେଷଭାବରେ ଖାଲି ପେଟରେ କଫି ଚା’ ପିଇଲେ ପାକସ୍ଥଳୀରୁ ଅମ୍ଳ କ୍ଷରଣ ବଢ଼ିଯାଏ। ଏତଦ୍‌ବ୍ୟତୀତ ସକାଳେ ବିଛଣା ଛାଡ଼ିବା ପରେ ପରେ ଚା’ କିମ୍ବା କଫି ପିଇଲେ ପାଟିରେ ଥିବା ଜୀବାଣୁଗୁଡ଼ିକ ଧୋଇହୋଇ ଅନ୍ତନଳୀ ଭିତରକୁ ପ୍ରବେଶ କରିଥାଆନ୍ତି। ଚା’ରେ ରହିଥିବା ସାମାନ୍ୟ ପରିମାଣର ନିକୋଟିନ୍, ଯାହା ଆସବ୍ଡି ସୃଷ୍ଟିର କାରଣ ହୋଇପାରେ। ତେଣୁ ସକାଳେ ଖାଲିପେଟରେ ଚା’ ହେଉ କି କଫି ପିଇବା ଆଦୌ ନିରାପଦ ନୁହେଁ। ବରଂ ସକାଳୁ ଉଠି ଗିଳାସେ ପାଣି ପିଇ ସାରି ଫଳଟିଏ ଖାଇନେବା ପରେ ୧୫ ରୁ ୨୦ ମିନିଟ୍ ପରେ ଚା’ ପିଇହେବ। ଚା’ ସହ ବିସ୍କୁଟ କି ସାମାନ୍ୟ ଜଳଖିଆ ଖାଇଲେ ତାହା ଅପେକ୍ଷାକୃତ ନିରାପଦ। ସକାଳେ କିଛି ଖାଇ ସାରିବା ପରେ ହିଁ ଚା’ ପିଆଯାଇପାରେ। ହେଲେ ଖାଲିପେଟରେ ଚା’ କି କଫି ପିଇବା ସ୍ୱାସ୍ଥ୍ୟ ପାଇଁ ଆଦୌ ହିତକର ନୁହେଁ।



ସୌରଜଗତରେ ଆକୃଷ୍ଟନାକ୍ଷତ୍ରିକ ଅତିଥି




ଡଃ. ମାୟାଧର ସିଂହ

“ସୌରଜଗତ ବାହାରୁ ଏହା ଭିତରକୁ ପଶି ଆସି ପୁଣି ପକାଇ ଯାଇଥିବା ପ୍ରଥମ ଜଣା ଗ୍ରହାଣୁର ନାମ ହେଉଛି ଓଉମୁଆମୁଆ। ଏହାକୁ ଯୁକ୍ତରାଷ୍ଟ୍ର ଆମେରିକାର ହାୱାଲିଠାରେ ଥିବା ପାନକ୍ସିସ ଦୂରଦୀକ୍ଷଣ ଯନ୍ତ୍ର ଦ୍ୱାରା ୨୦୧୭ ମସିହା ଅକ୍ଟୋବର ୧୯ ତାରିଖରେ ଆବିଷ୍କାର କରାଯାଇଥିଲା। ଏହି ପର୍ଯ୍ୟବେକ୍ଷଣ ‘ନାସା’ର ପୃଥିବୀର ସମୀପବର୍ତ୍ତୀ ବସ୍ତୁଗୁଡ଼ିକ କାର୍ଯ୍ୟକ୍ରମର ଅନ୍ତର୍ଭୁକ୍ତ ଥିଲା। ସୂର୍ଯ୍ୟଠାରୁ ଏହାର ନିକଟତମ ବିନ୍ଦୁରୁ ପ୍ରାୟ ୪୦ ଦିନ ଗତି କରିବା ପରେ ଏହାକୁ ଆବିଷ୍କାର କରାଗଲା ଏବଂ ଏହା ସେତେବେଳକୁ ପୃଥିବୀଠାରୁ ପ୍ରାୟ ୩୩ ନିୟୁତ କିମି ଦୂରରେ ଥିଲା। ଏହାର ଆବିଷ୍କାରକ ହେଉଛନ୍ତି କାନାଡାର ଜ୍ୟୋତିର୍ବିଦ୍ ରବର୍ଟ ଉଇରିକ୍। ଏହାର ଆକାର ହେଉଛି ୨୩୦ ମିଟର x ୩୫ମିଟର x ୩୫ ମିଟର।”



ସୌରଜଗତରେ ସମସ୍ତ ଗ୍ରହ, ଗ୍ରହାଣୁ, ବାମନ ଗ୍ରହ, ଧୂମକେତୁ ଆଦି ସୂର୍ଯ୍ୟଙ୍କୁ ପରିକ୍ରମା କରିଥାଆନ୍ତି। ଏହିସବୁ ବସ୍ତୁପିଣ୍ଡ ଉପରେ ସୂର୍ଯ୍ୟର ମାଧ୍ୟାକର୍ଷଣ ପ୍ରଭାବ ରହିଛି। ସୌରଜଗତର ଶେଷ ଗ୍ରହ ନେପଚ୍ୟୁନ ପରେ ଅନେକ ଦୂର ପର୍ଯ୍ୟନ୍ତ କୁଲପର ବଳୟ ରହିଛି, ଯେଉଁଥିରେ ଅନେକ ଗ୍ରହାଣୁ ରହିଛନ୍ତି। କୁଲପର ବଳୟ ପରେ ସୌରଜଗତ ଶେଷ ହୋଇଛି। ସୌରଜଗତ ସୀମା ପରେ ଏକ ଅନ୍ଧାରୁଆ ଅଞ୍ଚଳ ରହିଛି, ଯାହା ନାମ ହେଉଛି ଉର୍ଟ ବାବଲ। ବେଳେବେଳେ ସୌରଜଗତ ବାହାରୁ କିଛି ବସ୍ତୁପିଣ୍ଡ ସୌରଜଗତ ଭିତରକୁ ପ୍ରବେଶ କରିଥାଏ। ଏହା ଉପରେ ସୂର୍ଯ୍ୟଙ୍କର ମାଧ୍ୟାକର୍ଷଣ ପ୍ରଭାବ ପଡି ନ ଥାଏ। ଏଣୁ ଏହା ସୂର୍ଯ୍ୟକୁ ପରିକ୍ରମା କରି ନ ଥାଏ। ଅନୁମାନ କରାଯାଉଛି ଯେ, କୌଣସି ନକ୍ଷତ୍ରର ପ୍ରଭାବରେ ଏଗୁଡ଼ିକୁ ସୌରଜଗତକୁ ପ୍ରବେଶ କରିଥାଆନ୍ତି। ସୌରଜଗତ ଦେଇ କିଛି ଦିନ ଗତି କରିବା ପରେ ଏଗୁଡ଼ିକ ପୁନଶ୍ଚ ଆକୃଷ୍ଟନାକ୍ଷତ୍ରିକ ମହାକାଶକୁ ଚାଲିଯାଆନ୍ତି। ଆମର ପର୍ଯ୍ୟବେକ୍ଷଣ ପ୍ରଯୁକ୍ତିବିଦ୍ୟାର ଉନ୍ନତି ହେବା ପରେ ବର୍ତ୍ତମାନ ସୌରଜଗତକୁ ଅଳ୍ପ ଦିନ ପାଇଁ ପ୍ରବେଶ କରୁଥିବା ଆକୃଷ୍ଟନାକ୍ଷତ୍ରିକ ବସ୍ତୁଗୁଡ଼ିକ ଚିହ୍ନଟ କରିପାରୁଛେ ଏବଂ ସେଗୁଡ଼ିକ ସମ୍ଭବରେ କିଛି ତଥ୍ୟ ମଧ୍ୟ ହାସଲ କରିପାରୁଛେ। ଆମେମାନେ ଏପର୍ଯ୍ୟନ୍ତ ମାତ୍ର ତିନୋଟି ଅତିଥି ବସ୍ତୁପିଣ୍ଡକୁ ଚିହ୍ନଟ କରିପାରିଛେ। ସେଗୁଡ଼ିକ ହେଉଛି-ଓଉମୁଆମୁଆ, ବୋରିସୋଭ ଏବଂ ଆଟଲାସ।



ଏହାକୁ ଯୁକ୍ତରାଷ୍ଟ୍ର ଆମେରିକାର ହାୱାଲିଠାରେ ଥିବା ପାନକ୍ସିସ ଦୂରଦୀକ୍ଷଣ ଯନ୍ତ୍ର ଦ୍ୱାରା ୨୦୧୭ ମସିହା ଅକ୍ଟୋବର ୧୯ ତାରିଖରେ ଆବିଷ୍କାର କରାଯାଇଥିଲା। ଏହି ପର୍ଯ୍ୟବେକ୍ଷଣ ‘ନାସା’ର ପୃଥିବୀର ସମୀପବର୍ତ୍ତୀ ବସ୍ତୁଗୁଡ଼ିକ କାର୍ଯ୍ୟକ୍ରମର ଅନ୍ତର୍ଭୁକ୍ତ ଥିଲା। ସୂର୍ଯ୍ୟଠାରୁ ଏହାର ନିକଟତମ ବିନ୍ଦୁରୁ ପ୍ରାୟ ୪୦ ଦିନ ଗତି କରିବା ପରେ ଏହାକୁ ଆବିଷ୍କାର କରାଗଲା ଏବଂ ଏହା ସେତେବେଳକୁ ପୃଥିବୀଠାରୁ ପ୍ରାୟ ୩୩ ନିୟୁତ କିମି ଦୂରରେ ଥିଲା। ଏହାର ଆବିଷ୍କାରକ ହେଉଛନ୍ତି କାନାଡାର ଜ୍ୟୋତିର୍ବିଦ୍ ରବର୍ଟ ଉଇରିକ୍। ଏହାର ଆକାର ହେଉଛି ୨୩୦ ମିଟର x ୩୫ମିଟର x ୩୫ ମିଟର। ଏହାର ଅଧ୍ୟାଧାରଣ ଆକାର ଓ ଅବ୍ୟାପ୍ୟ ଉତ୍ତରୁ ଗ୍ରହାଣୁର ନାମ ହେଉଛି ଓଉମୁଆମୁଆ।

ଆସିଥିବା ମନେକଲେ। ଏହାର ବେଗ ଘଣ୍ଟା ପ୍ରତି ୩୦,୦୦୦ କିମି ଥିଲା ଏବଂ ଏହାର ଗତିପଥରୁ ଜଣାଗଲା ଯେ ଏହା ଆମ ସୌରଜଗତର ବସ୍ତୁପିଣ୍ଡ ନୁହେଁ। ୨୦୧୯ ମସିହା ଜୁଲାଇ ମାସ ସୁଦ୍ଧା ଜ୍ୟୋତିର୍ବିଦ୍ୟାମାନେ ସିଦ୍ଧାନ୍ତରେ ପହଞ୍ଚିଲେ ଯେ ଏହା ହେଉଛି ଗୋଟିଏ ପ୍ରାକୃତିକ ବସ୍ତୁପିଣ୍ଡ ଏବଂ ଏହା ସୌରଜଗତ ବାହାରୁ ଆସିଛି। ଏହା ପୃଥିବୀକୁ ମାତ୍ର ଏକ ସପ୍ତାହ ବେଶ୍ ଯାଇଥିଲା। ଏଣୁ ଏହା ସମ୍ଭବରେ ବିଶେଷ ଅଧ୍ୟୟନ କରାଯାଇପାରିଲା ନାହିଁ।

ବୋରିସୋଭ ଏହାକୁ କ୍ରିମିୟାର ଜ୍ୟୋତିର୍ବିଦ୍ ରେନାଟି ବୋରିସୋଭ ୨୦୧୯ ମସିହା ଅଗଷ୍ଟ ୨୯ ତାରିଖରେ କ୍ରିମିୟାର ନୋଟିନିକସ୍‌ସ୍‌ଟି ମାର୍ଗୋ ପର୍ଯ୍ୟବେକ୍ଷଣାଗାରରୁ ଆବିଷ୍କାର କରିଥିଲେ। ଏହା ହେଉଛି ଗୋଟିଏ ଧୂମକେତୁ। ଏହାର ଉତ୍ତେଜକ୍ରତା ୩.୩୬ ଥିଲା ଏବଂ ସୂର୍ଯ୍ୟ ଚାରିପଟେ ଏହା ପରିକ୍ରମଣ କରି ନ ଥିଲା। ଏହା ୨୦୧୯ ମସିହା ଅକ୍ଟୋବର ମାସ ଶେଷ ଆଡ଼କୁ ସୌରଜଗତରେ ପ୍ରବେଶ କରିଥିଲା ଏବଂ ସୂର୍ଯ୍ୟ ପୃଥିବୀର ୮ ତାରିଖରେ ସୂର୍ଯ୍ୟଠାରୁ ଏହାର ନିକଟତମ ଦୂରତା ଦୁଇ ମହାକାଶଗତି ଏକକ ଥିଲା। ଏହା ସେହି ବର୍ଷ ଡିସେମ୍ବର ୨୮ ତାରିଖରେ ପୃଥିବୀ ନିକଟତର ଥିଲା। ଏହାର ଲାଞ୍ଜର ଦୈର୍ଘ୍ୟ ପୃଥିବୀ ଆକାରର ୧୪ ଗୁଣ ଥିଲା। ଏହାର କୋମା ଏବଂ ଧୂଳି ଓ ଗ୍ୟାସ୍‌ର ବାବଲ ଥିଲା। ଏହା ପୃଥିବୀ ଠାରୁ ୩୦୦ ନିୟୁତ କିମିରୁ ଅଧିକ ଦୂର ଦେଇ ଯାଇଥିବାରୁ ଏହାର ଠିକ୍ ଆକାର ଓ ଆକୃତି ନିର୍ଦ୍ଧାରଣ କରାଯାଇ ପାରି ନ ଥିଲା। ଏହାର ନାଭିକ ବ୍ୟାସ ୧.୪ରୁ ୧.୬ କିମି ମଧ୍ୟରେ ଆକଳନ କରାଯାଇଛି।

ଆଟଲାସ ଏହାର ଉତ୍ତେଜକ୍ରତା ୩.୩୬ ଥିଲା ଏବଂ ସୂର୍ଯ୍ୟ ଚାରିପଟେ ଏହା ପରିକ୍ରମଣ କରି ନ ଥିଲା। ଏହା ୨୦୧୯ ମସିହା ଅକ୍ଟୋବର ମାସ ଶେଷ ଆଡ଼କୁ ସୌରଜଗତରେ ପ୍ରବେଶ କରିଥିଲା ଏବଂ ସୂର୍ଯ୍ୟ ପୃଥିବୀର ୮ ତାରିଖରେ ସୂର୍ଯ୍ୟଠାରୁ ଏହାର ନିକଟତମ ଦୂରତା ଦୁଇ ମହାକାଶଗତି ଏକକ ଥିଲା। ଏହା ସେହି ବର୍ଷ ଡିସେମ୍ବର ୨୮ ତାରିଖରେ ପୃଥିବୀ ନିକଟତର ଥିଲା। ଏହାର ଲାଞ୍ଜର ଦୈର୍ଘ୍ୟ ପୃଥିବୀ ଆକାରର ୧୪ ଗୁଣ ଥିଲା। ଏହାର କୋମା ଏବଂ ଧୂଳି ଓ ଗ୍ୟାସ୍‌ର ବାବଲ ଥିଲା। ଏହା ପୃଥିବୀ ଠାରୁ ୩୦୦ ନିୟୁତ କିମିରୁ ଅଧିକ ଦୂର ଦେଇ ଯାଇଥିବାରୁ ଏହାର ଠିକ୍ ଆକାର ଓ ଆକୃତି ନିର୍ଦ୍ଧାରଣ କରାଯାଇ ପାରି ନ ଥିଲା। ଏହାର ନାଭିକ ବ୍ୟାସ ୧.୪ରୁ ୧.୬ କିମି ମଧ୍ୟରେ ଆକଳନ କରାଯାଇଛି।

ଆଟଲାସ ଏହାର ଉତ୍ତେଜକ୍ରତା ୩.୩୬ ଥିଲା ଏବଂ ସୂର୍ଯ୍ୟ ଚାରିପଟେ ଏହା ପରିକ୍ରମଣ କରି ନ ଥିଲା। ଏହା ୨୦୧୯ ମସିହା ଅକ୍ଟୋବର ମାସ ଶେଷ ଆଡ଼କୁ ସୌରଜଗତରେ ପ୍ରବେଶ କରିଥିଲା ଏବଂ ସୂର୍ଯ୍ୟ ପୃଥିବୀର ୮ ତାରିଖରେ ସୂର୍ଯ୍ୟଠାରୁ ଏହାର ନିକଟତମ ଦୂରତା ଦୁଇ ମହାକାଶଗତି ଏକକ ଥିଲା। ଏହା ସେହି ବର୍ଷ ଡିସେମ୍ବର ୨୮ ତାରିଖରେ ପୃଥିବୀ ନିକଟତର ଥିଲା। ଏହାର ଲାଞ୍ଜର ଦୈର୍ଘ୍ୟ ପୃଥିବୀ ଆକାରର ୧୪ ଗୁଣ ଥିଲା। ଏହାର କୋମା ଏବଂ ଧୂଳି ଓ ଗ୍ୟାସ୍‌ର ବାବଲ ଥିଲା। ଏହା ପୃଥିବୀ ଠାରୁ ୩୦୦ ନିୟୁତ କିମିରୁ ଅଧିକ ଦୂର ଦେଇ ଯାଇଥିବାରୁ ଏହାର ଠିକ୍ ଆକାର ଓ ଆକୃତି ନିର୍ଦ୍ଧାରଣ କରାଯାଇ ପାରି ନ ଥିଲା। ଏହାର ନାଭିକ ବ୍ୟାସ ୧.୪ରୁ ୧.୬ କିମି ମଧ୍ୟରେ ଆକଳନ କରାଯାଇଛି।

ସ୍ୱାସ୍ଥ୍ୟ ସୁଚନା

➤ଆପଣ ମେଦବହୁଳତା ସମସ୍ୟା ସହ ଜଡ଼ିତ କି ? ତେଣୁ ସବୁବେଳେ ନିଜର ଓଜନ ସନ୍ତୁଳିତ ରଖନ୍ତୁ। ଖାଦ୍ୟପେୟ ପ୍ରତି ସଚକଡ଼ା ଅବଲମ୍ବନ କରିବା ସହ ନିୟମିତ ବ୍ୟାୟାମ କରନ୍ତୁ।

➤ଦୀର୍ଘକାଳୀନ ରୋଗ ସହ ଜଡ଼ିତ ଥିଲେ ନିର୍ଦ୍ଦିଷ୍ଟ ସମୟ ବ୍ୟବଧାନରେ ଡାକ୍ତରଙ୍କ ସହ ପରାମର୍ଶ କରିବାକୁ ଭୁଲନ୍ତୁ ନାହିଁ।



➤ନିଜକୁ ସବୁବେଳେ ଚିନ୍ତାଠାରୁ ଦୂରେଇ ରଖିବାକୁ ଚେଷ୍ଟା କରନ୍ତୁ। କାରଣ ଏହା ସରୋକ୍ଷରେ ଆଉ କେତେକ ରୋଗକୁ ଆମକୁଶ କରିଥାଏ।

➤ଯଦି ଆପଣ ଗୋଟିଏ ସ୍ଥାନରେ ଅଧିକ ସମୟ ବସି କାମ କରୁଛନ୍ତି ତେବେ

କିଛି ସମୟ ବ୍ୟବଧାନରେ ଟିକେ ଉଠି ଚାଲିଚାଲି କରନ୍ତୁ। ଏହାଦ୍ୱାରା ଅଣ୍ଡାକନିତ ସମସ୍ୟା ଦେଖାଯିବାର ଆଶଙ୍କା କେତେକାଂଶରେ କମ୍ ଥାଏ।

➤ଦୃଷ୍ଟିଶକ୍ତିକନିତ ସମସ୍ୟା ଦେଖାଦେଲେ ତାହାକୁ ଅବହେଳା କରନ୍ତୁ ନାହିଁ। ବିକଳ ନ କରି ଅଳ୍ପ ଚକ୍ଷୁ ବିଶେଷଜ୍ଞଙ୍କ ସହ ପରାମର୍ଶ କରନ୍ତୁ।

➤ପ୍ରତିଦିନ କିଛି ପରିମାଣର ସାଲାତ ଖାଆନ୍ତୁ। ବିଶେଷଭାବରେ ଏହାକୁ ସକାଳୁ ଜଳଖିଆ ବା ବ୍ରେକଫାଷ୍ଟରେ ସାମିଲ କଲେ ସେଥିରୁ ଆହୁରି ଉପକାର ମିଳିଥାଏ।

➤ରାତିରେ ଶୋଇବାକୁ ଯିବା ପୂର୍ବରୁ ଭଲ ଭାବରେ ଗୋଡ଼ାହାଟ ଆଉ ମୁହଁ ଧୁଅନ୍ତୁ। ଏହାଦ୍ୱାରା ଭଲ ନିଦ ହୋଇଥାଏ।

ଏପିଲେପ୍ସିର କାରଣ

ପ୍ରାୟ ୫୦ ପ୍ରତିଶତ ଏପିଲେପ୍ସି ରୋଗୀଙ୍କ କ୍ଷେତ୍ରରେ ରୋଗର କୌଣସି କାରଣ ଜଣାପଡି ନ ଥାଏ। ମୂଖରେ ଜୋରରେ ମାଡ଼ ବାଜିଲେ, ଶିଶୁ ଜନ୍ମ ସମୟରେ ଡାହାଣ ଆଙ୍ଗୁଳିର ଅଭାବ ହେଲେ, ମସ୍ତିଷ୍କରେ ପ୍ରଦାହ ହେଲେ କି ମସ୍ତିଷ୍କରେ ଅର୍ଦ୍ଧବ ବା ଝୁମ୍‌ମର୍ ହୋଇଥିଲେ ଏପିଲେପ୍ସିର ଲକ୍ଷଣମାନ ପ୍ରକାଶ ପାଇଥାଏ। ଏପିଲେପ୍ସିର ମଧ୍ୟ ବଂଶଗତ ପ୍ରଭାବ ରହିଛି। ଏପିଲେପ୍ସିର ଏକାଧିକ ପ୍ରକାର। ପ୍ରକାରକୁ ଗଢ଼ି ଲକ୍ଷଣ ଭିନ୍ନ ଭିନ୍ନ ହେବା ସ୍ୱାଭାବିକ। କିନ୍ତୁ ବାତ ମାରିବା ଲକ୍ଷଣଟିହିଁ ପ୍ରଧାନ ହୋଇଥାଏ।




ଓ ଏହା ଅନେକ ରୋଗୀଙ୍କ କ୍ଷେତ୍ରରେ ପରିଲକ୍ଷିତ ହୋଇଥାଏ। ବାତ ମାରିବା ଆରମ୍ଭ ହେବା ପୂର୍ବରୁ ଯେଉଁ ସବୁ ସୂଚନା ପ୍ରକାଶ ପାଇପାରେ, ତାକୁ ଡାକ୍ତରୀ ଭାଷାରେ ‘ଅରା’ ବୋଲି କୁହନ୍ତି। ଗନ୍ଧ ଛାଡ଼ିବାର କିଛି କୁଆଡ଼େ ସୂଚନା ନ ଥାଇ ହଠାତ୍ ଗନ୍ଧ ବାରିବାର ଅନୁଭବ ହେବା, କୌଣସି ସୋରଗ୍‌ବ ନ ଥାଇ ହଠାତ୍ ଶବ୍ଦ ଶୁଣିବାର ଅନୁଭବ ହେବା, ପାଟି ଭିତରେ କିଛି ନ ଥାଇ ଆକମ୍ପିକ ଭାବରେ ସ୍ୱାଦ ଅନୁଭବ କରିବା, କୌଣସି ଅସ୍ପଷ୍ଟି ନ ଥାଇ ପେଟରେ ହଠାତ୍ ଅସ୍ପଷ୍ଟି ଅନୁଭବ କରିବା, ଆଖି ସାମ୍ନାରେ ହଠାତ୍ ଆଲୁଅ ଚକ୍ରାକ୍ କରିବା ଇତ୍ୟାଦି ହେଉଛି ଅରା କେତୋଟି ଉଦାହରଣ।

ଏକ ଯୁଗର ଅବସାନ

ଐଶ୍ବର୍ଯ୍ୟ ପ୍ରତାପ ଜିତିଲେ ସ୍ୱର୍ଣ୍ଣ ପଦକ

ନୂଆଦିଲ୍ଲୀ, ୨୪।୮ (ପି.ଟି.)

ଚେଷ୍ଟ ସ୍ନେହାଲିଷ୍ଟ ଚେତେଶ୍ୱର ପୂଜାରୀ ରବିବାର ଭାରତୀୟ କ୍ରିକେଟର ସମସ୍ତ ଫର୍ମାଟକୁ ଅଲବିଦା କହିଛନ୍ତି। ସେ ସୋସିଆଲ ମିଡିଆ ଜରିଆରେ ତାଙ୍କ ଅବସର ଘୋଷଣା କରିଛନ୍ତି। ୨୦୧୦ରେ ପଦାର୍ପଣ କରିଥିବା ୩୭ ବର୍ଷୀୟ ପୂଜାରୀ ଭାରତୀୟ ଜର୍ସିରେ ୨୦୨୩ରେ ଅନ୍ତିମ ଥର ଖେଳିଥିଲେ। ୧୦୩ ଚେଷ୍ଟ ମ୍ୟାଚ୍‌ରେ ୪୩.୬୦ ଆଇରେକରେ ୭,୧୯୫ ରନ କରିଥିଲେ। ଏଥିରେ ୧୯ ଶତକ ଓ ୩୫ ଅର୍ଦ୍ଧଶତକ ସାମିଲ ଥିଲା। ସେ ଗୋଟିଏ ଇନିଂସରେ ସର୍ବାଧିକ ଅପରାଜିତ ୨୦୬ ରନ କରିଥିଲେ। ତାଙ୍କ ଅବସର ସହ ଭାରତୀୟ କ୍ରିକେଟରେ ଏକ ଯୁଗର ଅବସାନ ଘଟିଛି। ତାଙ୍କ ପୂର୍ବରୁ ତାଙ୍କ ସାଥୀ ଖେଳାଳି ବିରାଟ କୋହଲି, ରୋହିତ ଶର୍ମା ଓ ରବିନ୍ଦ୍ରନ ଅଶ୍ୱିନ ଲମ୍ବା ଫର୍ମାଟକୁ ଅବନେ କ୍ରୋଷଣା କରିଥିଲେ।



ଚେତେଶ୍ୱର ପୂଜାରୀ

କ୍ରିକେଟର ସମସ୍ତ ଫର୍ମାଟକୁ ଅବସର ନେବାକୁ ନିଷ୍ପତ୍ତି ନେଇଛି'' ବୋଲି ପୂଜାରୀ ପୋଷ୍ଟରେ ଉଲ୍ଲେଖ କରିଛନ୍ତି। ସେ ଘରୋଇ କ୍ରିକେଟରେ ସୌରାଷ୍ଟ୍ର ପାଇଁ ଖେଳୁଥିଲେ। ପୂଜାରୀଙ୍କ ଅବସର ସମ୍ପର୍କରେ ସୌରାଷ୍ଟ୍ର କ୍ରିକେଟ ଆସୋସିଏଶନ ସଭାପତି ଜୟଦେବ ଶାହା କହିଛନ୍ତି, ପୂଜାରୀଙ୍କୁ ପଢ଼ିଆରେ କ୍ରିକେଟକୁ ଅଲବିଦା କରନ୍ତୁ। କିନ୍ତୁ ଏହା ତାଙ୍କ ନିଷ୍ପତ୍ତି ଥିଲା। ଆମେ ତାଙ୍କ ଉଦ୍ଦେଶ୍ୟ ଲାଗି ଶୁଭକାମନା ଦେଉଛୁ। ତାଙ୍କ କ୍ୟାରିୟର ଗଢ଼ିବା ଲାଗି ତାଙ୍କ ବାପା ଅରବିନ୍ଦ ପୂଜାରୀଙ୍କୁ ବଡ଼ ସାହାଯ୍ୟ ଥିଲା। ଭାରତୀୟ ଦଳରୁ ବାହାରେ ଥିବା ବେଳେ ପୂଜାରୀ କମେଣ୍ଟେଟର ଭାବେ ନିଜେ ଭାରତ-ଇଂଲଣ୍ଡ

ଚେଷ୍ଟ ସିରିଜ୍ ସହିତ ଯୋଡ଼ି ହୋଇଥିଲେ। କିନ୍ତୁ ଭାରତୀୟ ବ୍ୟାଟର ରାହୁଲ ଦ୍ରାଭିଡ଼ଙ୍କ ଅବସର ପରେ ପୁଷ୍ପାଂଶୁ ବିଦେଶୀ କଣ୍ଠଶିଳ୍ପରେ ଭାରତୀୟ ଚେଷ୍ଟ ଦଳର କାନ୍ଦ ଭାବେ ଖେଳିଥିଲେ। ତାଙ୍କ ପ୍ରତିନିଧିତ୍ୱରେ ଭାରତ ୨୦୧୮ ଓ ୨୦୨୧ ଅଷ୍ଟ୍ରେଲିଆରେ ଲଗାତର ଦୁଇ ଥର ଚେଷ୍ଟ ସିରିଜ୍ ଜିତିଥିଲା। ଉଭୟ ଥର ପୂଜାରୀଙ୍କ ଭୂମିକା ଗୁରୁତ୍ୱପୂର୍ଣ୍ଣ ଥିଲା। ସେ ଭାରତୀୟ ଦଳ ପାଇଁ ୫ଟି ଦିନିକିଆ ମ୍ୟାଚ୍ ମଧ୍ୟ ଖେଳିଥିଲେ। ସେ ଫାଷ୍ଟ-ବ୍ଲ୍ୟୁଜ୍ କ୍ରିକେଟରେ ୨୧,୩୦୧ ରନ କରିଥିଲେ, ଯେଉଁଥିରେ ୬୬ ଶତକ ଓ ୮୧ ଅର୍ଦ୍ଧଶତକ ରହିଛି। ୨୦୧୭ରେ ଭାରତୀୟ ଫାଷ୍ଟ-ବ୍ଲ୍ୟୁଜ୍ କ୍ରିକେଟ୍ ସିଜନ ଜିତିବାସରେ

ପୂଜାରୀ ନିଷ୍ଠା ଓ ନିଃସ୍ୱାର୍ଥପର ବ୍ୟାଟିଂର ଉଦାହରଣ ଥିଲେ

ଚେତେଶ୍ୱର ପୂଜାରୀଙ୍କ ଅବସର ଘୋଷଣା ପରେ ଅନେକ ଭାରତୀୟ କିନ୍ତୁ କ୍ରିକେଟର ଓ ତାଙ୍କ ପୂର୍ବତନ ସାଥୀ ଖେଳାଳି ତାଙ୍କ ନିଷ୍ଠା ଓ ନିଃସ୍ୱାର୍ଥପର ବ୍ୟାଟିଂକୁ ପ୍ରଶଂସା କରିଛନ୍ତି।

» ନିଂ-୩ରେ ବ୍ୟାଟିଂ ଲାଗି ପୂଜାରୀଙ୍କୁ ଆସୁଥିବା ଦେଖିଲେ ଆଶ୍ଚର୍ଯ୍ୟ ମିଳେ। ତୁମେ ପ୍ରତ୍ୟେକ ଥର ଯୌର୍ଯ୍ୟ, ସାହସ ଓ ଚେଷ୍ଟ କ୍ରିକେଟ ପ୍ରତି ଭଲ ପାଇବା ସହ ବ୍ୟାଟିଂ କର। ତୁମର ପୂର୍ବତ୍ୱ ଚେକ୍‌ନିକ୍ ଓ ଚାପ ପରିସ୍ଥିତିରେ ଯୌର୍ଯ୍ୟ ଭାରତୀୟ ଦଳର ସ୍ତମ୍ଭ ଥିଲା। ତୁମର ଯୌର୍ଯ୍ୟ ଓ ସଂଯମିତତା ଇନିଂସ ବିନା ଅଷ୍ଟ୍ରେଲିଆ ବିପକ୍ଷ ୨୦୧୮ ସିରିଜ୍ ଜିତିବା ସମ୍ଭବ ନ ଥିଲା।

—ସଚିନ ତେନ୍ଦୁଲକର, କ୍ରିକେଟ ଆଲକନ

» ଝଡ଼ ପ୍ରବଳ ଥିବା ବେଳେ ପୂଜାରୀ ଛିଡ଼ା ହୋଇଥିଲେ। ଆଶା ମଜିନ ପଡ଼ିଲା ବେଳେ ସେ ଲଢ଼େଇ କରିଥିଲେ। ପୂଜାରୀ ଅଭିନନ୍ଦନ।

—ଗୌତମ ଗମ୍ଭୀର, ଭାରତୀୟ ଦଳର ପୁଷ୍ପାଂଶୁ କୋର୍

» ସର୍ବଦା ଦେଶ ପାଇଁ ଯିଏ ନିଜ ଶରୀର, ମନ ଓ ଆତ୍ମାକୁ ବାଜିରେ ଲଗାଏ। ଉଲ୍ଲେଖନୀୟ କ୍ୟାରିୟର ଲାଗି ଅଭିନନ୍ଦନ।

—ଯୁବରାଜ ସିଂ, ପୂର୍ବତନ ଅଲରାଉଣ୍ଡର

» ଜବରଦସ୍ତ କ୍ୟାରିୟର ପାଇଁ ଅଭିନନ୍ଦନ। ତୁମେ ଚେଷ୍ଟ କ୍ରିକେଟର ଜଣେ ଚମତ୍କାର ଆତ୍ମାସାତର। କ୍ରିକେଟ ପଢ଼ିଆରେ ତୁମ ଉପଲବ୍ଧିରେ ଆମେ ସମସ୍ତେ ଗର୍ବିତ। ତୁମ ସହିତ କାମ କରିବା ସମ୍ମାନର ବିଷୟ। ଆଶା କରୁଛି ଦ୍ୱିତୀୟ ଇନିଂସରେ ତୁମେ ଚମକିବା ଜାରି ରଖିବ।

—ଅନିଲ କୁମ୍ଭଲେ, ପୂର୍ବତନ ଅଧିନାୟକ ଓ କୋର୍

» ଯୌର୍ଯ୍ୟ ଓ ନିଃସ୍ୱାର୍ଥପରତାର ଉଦାହରଣ ହେଉଛି ପୂଜାରୀଙ୍କ କ୍ୟାରିୟର। ପ୍ରତିପକ୍ଷ ଦଳର ଆକ୍ରମଣକୁ ନଷ୍ଟ କରିବାର ଦକ୍ଷତା ଏବଂ ଏକାଗ୍ରତାର ଅପାରଶ୍ରବ୍ଧି ଯୋଗୁଁ ସେ ଭାରତୀୟ ବ୍ୟାଟିଂ ଲାଇନ୍‌ଅପର ଦୃଢ଼ କାନ୍ଦ ସଦୃଶ ଥିଲେ। ପାରମ୍ପରିକ ବ୍ୟାଟିଂ ଷ୍ଟାଇଲ ସହିତ ବିଶିଷ୍ଟ ସ୍ତରରେ ସଫଳତା ମିଳିପାରିବ ବୋଲି ସେ ଦେଖାଇଥିଲେ।

—ଦେବଜିତ ସାଇକିଆ, ବିସିଆଇ ସମ୍ପାଦକ

ସର୍ବାଧିକ ୧,୬୦୫ ରନ କରି ରେକର୍ଡ କରିଥିଲେ। ପୂର୍ବରୁ ଗୋଟିଏ ସିଜନରେ ସର୍ବାଧିକ ରନ କରିବାର ରେକର୍ଡ ତରୁ ବୋର୍ଡେଜ୍ ନାମରେ ଥିଲା। ସେ ୧୯୭୪-୭୫ରେ ୧,୬୦୪ ରନ କରିଥିଲେ।

ସିନେକ୍ସ, ୨୪।୮ (ପି.ଟି.)

ଭାରତୀୟ ଶୁଟର ଐଶ୍ବର୍ଯ୍ୟ ପ୍ରତାପ ସିଂ ତୋମାର ଏଠାରେ ଚାଲିଥିବା ଏସିଆନ ଶୁଟିଂ ଚାମ୍ପିୟନଶିପର ପୁରୁଷ ୫୦ମିଟର ରାଇଫଲ ୩ ପୋଜିଶନ ପ୍ରତିଯୋଗିତାରେ ଏକ ସ୍ୱର୍ଣ୍ଣ ପଦକ ହାସଲ କରିଛନ୍ତି। ଅନ୍ୟପକ୍ଷରେ ଭୂନିୟର ପୁରୁଷ ୩ମି ଇଭେଣ୍ଟରେ ଆଫ୍ରିକାନ କର୍ମାକାର ଫାଇନାଲରେ ୩୬୩.୮ ସ୍କୋର ସହ ଏସିଆନ ଭୂନିୟର ରେକର୍ଡ ସହିତ ଏକ ସ୍ୱର୍ଣ୍ଣ ପଦକ ପାଇଛନ୍ତି। ଐଶ୍ବର୍ଯ୍ୟ ପ୍ରତାପ ୪୬୩.୮ ସ୍କୋର ସହ ଶୀର୍ଷ ସ୍ଥାନରେ ରହିଥିବା ବେଳେ ତାଜନାର ଫ୍ରେନେନ୍ସି ଝାଓ ୪୬୨ ପଏଣ୍ଟ ସହ ରୌପ୍ୟ ଜିତିଥିବାବେଳେ ଜାପାନର ନାଓୟା ଓକାଡା ୪୪୫.୮ ସ୍କୋର ସହ ବ୍ରୋଝି ପାଇଥିଲେ। ଐଶ୍ବର୍ଯ୍ୟ ପ୍ରତାପ ପ୍ରତିଯୋଗିତାର ଅଧିକାଂଶ ଭାଗ ଆଗରେ ରହିଥିଲେ। ଅନ୍ୟ ଭାରତୀୟଙ୍କ ମଧ୍ୟରେ ଚେନ୍ ସିଂ ଚତୁର୍ଥ ଏବଂ ଅଶ୍ୱିନ ଶେଓରାନ ପଞ୍ଚମ ସ୍ଥାନ ଅଧିକାର କରିଥିଲେ। ପୂର୍ବରୁ ୩ ଭାରତୀୟ ଐଶ୍ବର୍ଯ୍ୟ, ଚେନ୍ ସିଂ ଓ ଶେଓରାନ ୫୦ମିଟର



ଐଶ୍ବର୍ଯ୍ୟ ପ୍ରତାପ ସିଂ

ଏସିଆନ ଶୁଟିଂ ଚାମ୍ପିୟନଶିପ୍

ରହିଥିଲେ। ଐଶ୍ବର୍ଯ୍ୟଙ୍କର ସମାନ ଇଭେଣ୍ଟରେ ଏହା ହେଉଛି ଦ୍ୱିତୀୟ ଏସିଆନ ଚାମ୍ପିୟନ। ଏହା ପୂର୍ବରୁ ସେ ୨୦୨୩ରେ ଏକ ସ୍ୱର୍ଣ୍ଣ ପଦକ ଲାଭ କରିଥିଲେ। ଜାକର୍ତ୍ତାରେ ୨୦୨୪ ସଂସ୍କରଣରେ ସେ ନିଜ ଦେଶର ଶେଓରାନଙ୍କଠାରୁ ପରାଜିତ ହୋଇ ରୌପ୍ୟ ପଦକ ପାଇଥିଲେ।

ଗ୍ୟାସ୍ ଓ ଏସିଡିଟି ପାଇଁ ଚିକିତ୍ସା କି ?

ଶିବାସ୍ତକ ଚୁର୍ଣ୍ଣ

ଏହା ବ୍ୟବହାର କଲେ ଗ୍ୟାସ୍, ଏସିଡିଟି, ବଦହଜନି, ଆମ୍ବିଲା ହାଜୁଟି, ଛାତି ତଣ୍ଡି ପୋଡ଼ା ଜଳା ଅଜୀର୍ଣ କୋଷ୍ଠକାର୍ମିନ୍ୟ ଦୂର କରି ଆୟୁର୍ଯ୍ୟ ଭାବରେ ହଜମ ଶକ୍ତି ବଢାଏ

FAST RELIEF FROM ACIDITY, INDIGESTION & CONSTIPATION

ସବୁଦମନ ସାବୁ ମଲ୍ସ (ପାବୁ ପାଇଁ ବେଷ୍ଟ)

ଡକ୍ଟର ଆୟୁର୍ବେଦ ରବିନ୍ଦ୍ର କଲେକ୍ଟ ଛକ, କଟକ
Contact: 9437883226

SPORT UTILITY VEHICLES

THIS GANESH CHATURTHI BRING HOME YOUR FAVOURITE MAHINDRA SUVs

BOOK YOUR SUV FROM OUR RANGE WITH OUR FESTIVE OFFERS

INTRODUCING THE ALL-NEW

XUV 400

PRICE STARTS AT ₹ 8.94 Lakh*

PRICE STARTS AT ₹ 13.16 Lakh*

PRICE STARTS AT ₹ 13.16 Lakh*

BENEFITS UPTO ₹ 66 000.00*

BENEFITS UPTO ₹ 46 000.00*

BENEFITS UPTO ₹ 1 34 500.00*

HURRY UP! OFFER VALID TILL 31st AUGUST 2025

Scrap your old vehicle and earn benefits upto ₹ 1.5 Lakh*

Credit at sole discretion of bank. #Subject to credit approval from the Bank/ Finance company. All other terms & Conditions will apply. Offer valid on select models till stock lasts. This offer cannot be clubbed with any other offer. Offer mentioned is maximum benefit available inclusive of insurance, exchange, loyalty, corporate as applicable. Offer will vary depending on the brand and model purchased and may vary from city to city. Contact your nearest Mahindra dealer for exact details. Terms of the offer may be altered/ amended/ withdrawn without prior notice. Accessories shown are not part of standard equipment. Offer valid till stock last. T&C Apply.

VISWAJEET UDYOG PVT. LTD. : BERHAMPUR: 9289220868